

Entanglement Relativity: Questioning the Everett Interpretation of Quantum Mechanics

J. Jeknić-Dugić^{*1}, M. Dugić[†]

^{*}Department of Physics, Faculty of Science, Niš, Serbia

[†]Department of Physics, Faculty of Science, Kragujevac, Serbia

Without entering the interpretational details, we report on a foundational inconsistency in the Everett interpretation of quantum mechanics. Our findings are based on the recently established relativity of entanglement (the entanglement relativity). As a corollary of the universally valid quantum mechanics, the entanglement relativity seems to suggest only the two possible ways out of the inconsistency: either the quantum Universe bears a preferred (global) spatial structure, or the Everett worlds are not physically real.

Key words: entanglement relativity, Everett interpretation, quantum decoherence

1. Introduction

In modern quantum mechanics, the foundational and interpretational issues are a part of the scientific and technological progress. The interpretations of quantum mechanics and of the quantum measurement process generated formation of a number of the disciplines. Von Neumann's quantum measurement theory [1] underlies the development of both the quantum decoherence theory [2-5] as well as of the theory of open quantum systems [6]. On the other side, the hidden variables hypothesis has led to the Bell's inequality [7] and to emphasizing quantum entanglement as a basic quantum mechanical concept and a quantum information resource [8]. Last but not least, operational investigations of the Everett's interpretation [9] paved a way [10] to a formulation of quantum computation theory [8]. Nowadays, quantum measurement is an issue of the quantum information and quantum computation theory [8], of quantum metrology [11] as well as of the nascent fields of nano- and quantum-technology [12].

One can say the clash between the different interpretations of quantum mechanics became highly scientifically productive in the recent decades. Even in the interpretational level one meets a nontrivial progress [4, 5], e.g. distinguishing the role of the decoherence process in interpreting the quantum measurement process.

¹Email: jjeknic@pmf.ni.ac.rs

The recent results of the entanglement-studies on the *relativity of entanglement* [13-19] bear potential of nontrivial application. In this paper, we first emphasize that the entanglement relativity is a *corollary of the universally valid quantum mechanics*, and second, on this basis, we point out a foundational inconsistency in the Everett interpretation of quantum mechanics.

We do not enter any interpretational details or reinterpret the Everett interpretation. Neither we develop or suggest a new interpretation. Rather, we analyze the very basic interpretational rule of the "worlds splitting" and we report on inconsistency of the "worlds splitting" with the entanglement relativity (ER). Interestingly enough, there are just a few ways out of this inconsistency: (i) a new criterion for choosing the preferred global (spatial) structure of the Universe to be found, or (ii) that the Everett worlds are not physically real. We do not elaborate this issue any further—we just make a diagnosis of the current status of the Everett interpretation.

2. Entanglement relativity and the inconsistency

From the historical perspective, the entanglement relativity (ER) may have occasionally appeared in the literature. However, it is only a matter of the last decade or so that we learned about this basic issue of the universally valid quantum mechanics that is yet to be explored in detail.

ER appears in the different research contexts and from the different perspectives. E.g., ER pertains to certain foundational issues [13, 15], but also appears in the context of the quantum information/computation [14, 16], and has also been emphasized as a basis for combating quantum decoherence in quantum hardware [19]. ER follows from both the dynamical as well as the kinematical considerations and can be described by the following phrase: "quantum entanglement for all states" [17].

In order to emphasize the essence of ER, we refer to the hydrogen atom. Fundamentally (nonrelativistically yet), the hydrogen atom is defined as a bipartite system "electron + proton ($e + p$)". In practice, it is however recognized as a pair "center of mass + relative coordinates ($CM + R$)". The two decompositions (structures) of the atom are mutually linked by the well-known linear canonical transformations (LCT) that introduce CM and R for the atom. The LCT considered allow the "variables separation" and the exact solution of the Schrodinger equation for $CM + R$ decomposition. The related quantum state is of the separable form $|\chi\rangle_{CM}|nlm_l\rangle_R$; n, l, m_l are the quantum numbers well known from the quantum theory of the hydrogen atom. On the other side, however, the Coulomb interaction between e and p leads to a conclusion that the pair $e + p$ must be in an entangled state of the form $\sum_i c_i |i\rangle_e |i\rangle_p$. Bearing in mind that $e + p = \text{atom} = CM + R$, the

universally valid quantum mechanics implies the equality (for an instant of time and bearing in mind the atomic spin):

$$\sum_i c_i |i\rangle_e |i\rangle_p = |\chi\rangle_{CM} |nlm_l\rangle_R. \quad (1)$$

Eq. (1) is paradigmatic for ER: a change of the spatial degrees of freedom for a composite system can effect in a formal change of the composite system's quantum state. Intuitively: there is entanglement for virtually every quantum state of a composite quantum system—the very concept of entanglement is *relative*. In practice, one can in principle choose to operate on the composite system so as to use entanglement of a state (for one decomposition) even if the state is prepared nonseparable (for another decomposition) [14, 16, 19].

Besides the dynamical arguments for ER, some kinematical investigations also reveal ER. In a more abstract form eq. (1) reads:

$$\sum_i c_i |i\rangle_1 |i\rangle_2 = |\chi\rangle_S |\psi\rangle_{S'}, \quad (2)$$

where (bearing in mind the internal, non-spatial degrees of freedom, such as the spin) the composite system $\mathcal{C}$ is differently decomposed (structured) as $1 + 2$ and $S + S'$, respectively, while the decompositions (structures) are mutually linked by the proper LCT; of course, $1 + 2 = \mathcal{C} = S + S'$.

Then one may pose the task of kinematically transforming the lhs (the rhs) of eq. (2) into the rhs (the lhs) of eq. (2) for a given instant of time. In general, this is a formidable task and not much is known yet. However, for some simple models [17, 18], we already know about the validity of eq. (2). As a corollary of eq. (2), one can directly generalize ER as follows:

$$\sum_p \alpha_p |\varphi_p\rangle_1 |\Phi_p\rangle_2 = \sum_k \beta_k |\mu_k\rangle_S |\nu_k\rangle_{S'}. \quad (3)$$

The subsystems pertaining to the different structures (to the different sides of eq. (3)) can bear their own structures (and in principle all the subsystems' states appearing in eq. (3) may bear entanglement). On the other side, the expressions considered equally refer to the cases when certain subsystems (like the atomic spin) are neglected/implicit (or are unknown yet), thus giving rise to a generalization of eq. (3):

$$\sum_{p,q} \alpha_{pq} |\varphi_p\rangle_1 |\Phi_p\rangle_2 |\omega_q\rangle_3 = \sum_k \beta_k |\mu_k\rangle_S |\nu_k\rangle_{S'} |\kappa_k\rangle_3; \quad (4)$$

in accordance with eq. (2), the equality $|\varphi_p\rangle_1 |\Phi_p\rangle_2 = \sum_k d_{pk} |\mu_k\rangle_S |\nu_k\rangle_{S'}$ gives the states $|\kappa_k\rangle_3$ are the normalized states $\sum_{p,q} \alpha_{pq} d_{pk} |\omega_q\rangle_3$. Eq. (4) includes

the special cases: entanglement of all the subsystems considered (when $\alpha_{pq} = \delta_{pq}\alpha_p$), the partial entanglement (when $|\omega_q\rangle = |i\rangle|q\rangle$) and the absence of correlations (when $\alpha_{pq} = \alpha_p\beta_q$).

The entanglement relativity, eq. (1)-eq. (4), reveals the presence (absence) of quantum entanglement in a composite quantum system *relative* to the (spatial) degrees of freedom (relative to the composite-system's spatial decomposition, structure) considered. In effect: entanglement can not be avoided, despite the possible exceptional cases [20] of equality of some separable states for the different structures.

Let us now apply ER to the very basic interpretational rule of the Everett's interpretation [9]. As required by the Everett's interpretation, the *only assumption* of our considerations is that the total system $\mathcal{C}$ is "closed"—i.e. subject to the Schrodinger law.

According to the "relative states" interpretation [9], a measurement-induced entanglement should be understood to hide the "worlds splitting (branching)" for the pair of the object of measurement (system 1) and the measurement apparatus (system 2); $\mathcal{C} = 1 + 2$. This basic interpretational rule is valid for all the subsequent elaborations of the interpretation.

In some "mainstream" elaborations [21-24], the unavoidable presence of the apparatus' environment (E) is assumed. Regarding eq. (4), the "splitting" gives rise to a World (an Everett world) that is in a separable state e.g.

$$|\varphi_p\rangle_1|\Phi_p\rangle_2|\omega_p\rangle_E, \quad (5)$$

where, for convenience, we omit (yet bear in mind) the "rest"; $3 = E + \text{"rest"}$. So, while bearing in mind the possible entanglement in the subsystems $(1, 2, E, \text{"rest"})$, every Everett-world is described by some separable state of the form eq. (5). The unitary dynamics of $\mathcal{C}$ gives rise to alternating the formation of entanglement and the "worlds splitting". The environment E is supposed to induce decoherence [2-6] for the system 2 and the "splitting" is interpreted as a consequence of the decoherence process [21-24] that takes the time of the order of the "decoherence time", τ_D [3-6]. For the time intervals shorter than τ_D , the worlds are not resolved [21-24]—the splitting bears a coarse grained time scale. Due to decoherence, the Everett worlds bear the semiclassical (spatial) structures.

The instantaneous semiclassical structure $1 + 2 + E$ (eligible for the "splitting") refers to the "composite" degrees of freedom that follow from the LCT applied to the basic (e.g. nonrelativistic fundamental) degrees of freedom of $\mathcal{C}$ (that need not be eligible for the "splitting"); such kind of LCT we refer to as "local". The more specific "global" LCT completely change the struc-

ture of a composite system as a *whole* by mixing the degrees of freedom of both, an open system *and* its environment. Likewise for the isolated hydrogen atom, every *global* LCT introduces the new "elementary subsystems" for the related global structure of the composite system— CM and R for the isolated hydrogen atom in eq. (2). By definition, the global structures do not have a single degree of freedom in common and are dynamically mutually independent (separated). A number of the local LCT (and the related local structures) pertains to a global structure; e.g. the hydrogen-atom's structures $e + p$ and $CM + R$ refer to the different local structures pertaining to the same global structure of an (isolated) molecule enclosing the atom.

We consider the *global* LCT that completely transform the decomposition $1 + 2 + E$ of an isolated system $\mathcal{C}$ to obtain a new decomposition $S + S' + E'$, while we assume the new environment E' decoheres the subsystem S' . Modulo this assumption to be justified below, the new decomposition is eligible for the "splitting".

In analogy with eq. (2), ER gives for eq. (5) the following equalities:

$$|\varphi_p\rangle_1 |\Phi_p\rangle_2 |\omega_p\rangle_E = \sum_k' \beta_k |\mu_k\rangle_S |\nu_k\rangle_{S'} |\kappa_k\rangle_{E'} \quad (6)$$

and

$$\sum_{p,q}' \alpha_{pq} |\varphi_p\rangle_1 |\Phi_p\rangle_2 |\omega_p\rangle_E = |\mu_k\rangle_S |\nu_k\rangle_{S'} |\kappa_k\rangle_{E'} \quad (7)$$

where the primed sums in eq. (6) exhibit non-equality with the similar sums in eq. (4).

The very *presence of entanglement* in eqs. (6)-(7) clearly and apparently points out: the splitting for $1 + 2 + E$ *excludes* the splitting for $S + S' + E'$, cf. eq. (6), and *vice versa*, cf. eq. (7). Consequently: the "worlds splitting" is not consistent with the entanglement relativity, *unless* there is a privileged decomposition of the quantum Universe ($\mathcal{C}$)—in the sense the universally valid quantum mechanics does not yet equally apply to the different (global) spatial structures of the Universe. And this is our main result to be discussed—to be made more precise—in the sequel.

3. Discussion

Let us first make some general notions. First, in principle, all the kinds of the proper LCT (and the related decompositions (structures) of a composite system $\mathcal{C}$) are relevant. Second, entanglement relativity is a *corollary* of the universally valid quantum mechanics and is therefore of a direct interest for

the Everett interpretation. Furthermore, every interpretation based on the hypothesis of the universal validity of quantum mechanics must not be inconsistent with ER. Third, the entanglement relativity in Section 2 refers to the spatial (the "orbital") degrees of freedom. Bearing universality of the Everett interpretation in mind, we may restrict our considerations to the entanglement relativity for the spatial degrees of freedom, while the system 3 in eq. (4), i.e. the "rest" implicit in eqs. (5)-(7) can involve the particles' spin and other internal (nonspatial) degrees of freedom. Fourth, the LCT considered are *global*, while we are *not* interested in some trivial global LCT such as the regrouping/coarse-graining or the permutations of the subsystems' degrees of freedom; neither we are interested in the non-global ("local") LCT. Fifth, our considerations based on eqs. (6)-(7) neither follow from nor imply any of the open issues in the Everett interpretation; e.g. the "preferred (pointer) basis problem" refers to a single global structure of the Universe. We do not consider the interpretational contents of the Everett interpretation neither we suggest a new interpretation. Our *only concern* is the status of the "worlds splitting" in the context of the universal quantum-mechanical rule of the entanglement relativity.

The expressions eq. (6)-(7) clearly point out: the splitting for one structure (e.g. $1 + 2 + E$) *implies non-splitting* (the presence of entanglement) for an alternative structure (e.g. $S + S' + E'$) and *vice versa*. Then, one seems obliged to conclude about the following inconsistency in the very foundations of the Everett interpretation: *the universally valid quantum mechanics implies the "splitting" can not occur*. The same conclusion follows from the following dynamical considerations. With some care, from eqs. (6)-(7) one easily concludes: a separable state for one decomposition (e.g. $1 + 2 + E$) does *not last longer* than the process of the splitting for an alternative decomposition (e.g. $S + S' + E'$). Bearing in mind that the splitting takes the time of the order of the "decoherence time" [3-6], and that in this time interval the worlds are not resolved [21-24], one directly concludes about the impossibility of the splitting.

A possible way out of this inconsistency is the following one: to detect the one and only one global (spatial) decomposition allowing for a semiclassical structure, at the expense of *rejecting all the other global decompositions*. E.g., if $1 + 2 + E$ pertains to a preferred global decomposition, the splitting for $S + S' + E'$, eq. (7), becomes physically irrelevant (nonrealistic).

While this raises some interpretational questions, in the sequel we refer exclusively to the operational recipes for selecting a preferred decomposition of the Universe $\mathcal{C}$.

According to the "generalized entanglement" approach [14, 25, 26, 27], in every practical situation we directly recognize the experimentally acces-

sible observables. As a consequence, only the decompositions pertaining to the accessible, preferred observables are physically important, i.e. physically relevant; all the other decompositions, in *that* situation, should be considered physically irrelevant (artificial). However, while this approach is operationally sound, it refers to the open systems that should be compared e.g. to the above system 2 (or $1+2$). *But this is not our case.* As emphasized above, the LCT we consider mix the open-system's *and* the environmental (spatial) degrees of freedom. For such kind of the structures, one usually does *not* distinguish the preferred (the accessible) observables; furthermore, for the macroscopic systems, likewise the Universe itself, this is even in principle not possible [28].

In the similar manner, a *conjecture* on the irrelevance of the alternative decompositions for the Everett interpretation has been made [22, 24]. Bearing in mind eqs. (6) and (7), we can not detect which decompositions are assumed except, probably, the authors have the "local" LCT—that do not involve the "environment"—or the trivial (cf. above) global LCT in mind. In any case, the authors [22, 24] do not suggest a criterion for selecting the preferred global structure of the Universe.

Finally, one may pose the following related questions. First, to question the possibility that the global LCT can give rise to the semiclassical structures (eligibility of the new structure $S + S' + E'$ for the splitting), and second, to question the validity of ER for such structures. As to the first question, intuitively, it seems hard to believe that the *universally valid* quantum mechanics allows for the semiclassical structure(s) for one and only one global (spatial) structure of the Universe. Indeed, we *already know* about the simultaneous (and mutually un-conditioned) existence of the preferred states for some global structures regarding some typical models of the decoherence theory [29]. For these models (cf. Appendix A), both systems 2 and S' appearing in eqs. (6)-(7) are subject to decoherence independently induced by their respective environments, E and E' . The position-observable Gaussian-states (of interest for the Everett interpretation [23, 24]) are the "robust", preferred states for both systems, 2 and S' . The simultaneous occurrence of mutually independent decoherence processes (the parallel decoherence [29]) points out that both structures are eligible for the "splitting"—as it was assumed for eqs. (6)-(7). As to the second question: the bipartite structures, $(1+2) + E$ and $(S+S') + E'$ are already subject to ER [17, 18]. In general, nonvalidity of ER gives rise to the severe constraints (cf. Appendix B). In effect, virtually every separable state for one decomposition is entangled for another one.

Therefore, the existing rules for selecting the preferred decomposition are not useful and the inconsistency is not resolved yet. So, we seem forced

to conclude about the existence of an inconsistency in the very foundations of the Everett interpretation. To this end, it seems the Everettians should design a not-yet-known criterion for choosing the preferred semiclassical spatial structure of the Universe, or to consider the possibility that the Everett worlds are not physically real.

4. Conclusion

While the conceptual and interpretational investigations led to acknowledging the physical importance of quantum entanglement, the entanglement-based research (in the different disciplines yet) pays back by sharpening certain interpretational issues and problems. This "conceptual ladder" exhibits merging of the interpretational research with the mainstream scientific and the applied research in modern physics and technology. Here, we report on inconsistency of the "worlds splitting" with the (recently established) entanglement relativity. As the entanglement relativity is a universal quantum mechanical rule, we conclude: unless there is a privileged global, spatial decomposition of the Universe, the Everett interpretation seems either not to be correct, or the Everett worlds (the Everett "branches") are not physically real. The interpretational consequences of our findings are not explored yet.

Acknowledgements. The work on this paper is financially supported by Ministry of Science, Serbia, grant No 171028.

Appendix A

The models of interest for the Everett interpretation are those providing the position-observable Gaussian-states as the preferred states. To this end, the quantum Brownian motion (QBM) model is typical. The QBM model refers to an open system (system 1) in interaction with the harmonic-oscillators environment (system 2). The composite system is defined by the total Hamiltonian [29] (and the references therein):

$$\begin{aligned} \hat{H} &= \frac{\hat{p}_1^2}{2m_1} + V(\hat{x}_1) + \sum_i \left(\frac{\hat{p}_{2i}^2}{2m_i} + \frac{m_i \omega_i^2 \hat{x}_{2i}^2}{2} \right) \\ \pm \hat{x}_1 \sum_i \kappa_i \hat{x}_{2i} &\equiv \hat{H}_1 + \hat{H}_2 + \hat{H}_{1+2}, \end{aligned} \quad (8)$$

where the index i enumerates the environmental "particles", and the sign $\pm$ is in accord with the variations of the model in the literature. The physically relevant models of the open system are usually considered (cf. e.g. [6]): $V(\hat{x}_1) = 0$ for the free particle, or $V(\hat{x}_1) = m\omega^2 \hat{x}_1^2/2$ for the harmonic

oscillator and the Gaussian states appear as the preferred states for the open system 1.

Now, we consider the global structure $S' + E'$ where S' is the center-of-mass and E' is the "relative-positions" system for the whole system $\mathcal{C}$; $1+2 = \mathcal{C} = S' + E'$. As to the new global decomposition, the $\mathcal{C}$'s Hamiltonian eq. (8) obtains the form:

$$\begin{aligned} \hat{H} = & \frac{\hat{P}_{S'}^2}{2M} + \frac{1}{2}M\Omega^2\hat{X}_{S'}^2 + \sum_{\alpha} \left(\frac{\hat{p}_{E'\alpha}^2}{2\mu_{\alpha}} + \frac{1}{2}\mu_{\alpha}\nu_{\alpha}^2\hat{\rho}_{E'\alpha}^2 \right) \\ & + \hat{V}_{E'} \pm \hat{X}_{S'} \sum_{\alpha} \sigma_{\alpha} \hat{\rho}_{E'\alpha} \equiv \hat{H}_{S'} + \hat{H}_{E'} + \hat{H}_{S'+E'}. \end{aligned} \quad (9)$$

While the details can be found in [29], here we emphasize: due to the linear coupling for S' and E' , the model eq. (9) also refers to the quantum Brownian motion. The differences between the two models (that include ER, Section 2, and the variations on the external potential $V(\hat{x})$ in both models) are quite irrelevant for the following conclusion [29]: while, relative to eq. (8), the details may be different (the "decoherence time", the "recurrence time", and/or the state fluctuations), the open system S' in eq. (9) is also *subject to decoherence* with the related Gaussian states as the preferred states.

As the LCT preserve the linear coupling of the open system with its environment, this conclusion applies to a number of the physically related models of decoherence [29].

Appendix B

As a criterion for separability, we use the "quantum covariance function (QFC)" [17], C_f , defined as:

$$C_f = \langle \hat{A}_S \hat{B}_E \rangle - \langle \hat{A}_S \rangle \langle \hat{B}_E \rangle \quad (10)$$

that refers to a separable state $|\Psi\rangle = |\phi\rangle_1 |\chi\rangle_2$ and for a pair of the observables, $\hat{A}_S$ and $\hat{B}_E$, for the "new" subsystems, S and E , respectively. If the state $|\Psi\rangle$ is separable also for the new decomposition $(S + E)$, then ER, eq. (2), does not apply and $C_f = 0$. Nevertheless, $C_f = 0$ does not guarantee the separability.

Let us consider the two observables, $\hat{\xi}_S = \alpha_i \hat{x}_i$ and $\hat{\eta}_E = \beta_j \hat{x}_j$. For simplicity, let us assume that $\hat{x}_1$ is the only degree of freedom of the system 1 and that the rest refer to the system 2. Then, with the convention that all the sums refer to the degrees of freedom of the system 2, one obtains:

$$C_f = \alpha_1 \beta_1 (\Delta \hat{x}_1)^2 + \sum_p \alpha_p \beta_p (\Delta \hat{x}_p)^2 + \sum_{p \neq q} \alpha_p \beta_q (\langle \hat{x}_p \hat{x}_q \rangle - \langle \hat{x}_p \rangle \langle \hat{x}_q \rangle). \quad (11)$$

In general, the condition $C_f = 0$ is quite non-transparent constraint. Let us therefore consider the model of Appendix A, while (in search for the possibility $C_f = 0$) we assume both, the system 1 is a harmonic oscillator in its ground state, and that $|\chi\rangle_2$ is the tensor product of the ground states for every harmonic oscillator in the environment 2. Then eq. (11) simplifies as: $\langle \hat{x}_i \rangle = 0, \forall i$, and S being the total center-of-mass system, $\alpha_i = m_i/M$, while e.g. $\beta_1 = 1$ and $\beta_i = -1, i \neq 1$. Then eq. (11) reads:

$$C_f = \alpha_1 (\Delta \hat{x}_1)^2 - \sum_i \alpha_i (\Delta \hat{x}_i)^2. \quad (12)$$

As we deal exclusively with the harmonic oscillators for $1 + 2$ decomposition, $(\Delta \hat{x})^2 = \hbar/2m\omega$ for each oscillator, one obtains that the desired condition $C_f = 0$ implies $\omega_1^{-1} = \sum_i \omega_i^{-1}$, where ω_1 is the frequency of the open system 1, and ω_i is the frequency of the i th oscillator in the environment. Without further ado, we finally emphasize: if this condition is not fulfilled, the state is certainly not separable for $S + E$ decomposition, i.e. ER can be applied.

References

- [1] von Neumann, J. 1955 *Mathematical Foundations of Quantum Mechanics* (Princeton: Princeton Univsity)
- [2] Zeh, H. D. 1970 *Found. Phys.* **1** 69
- [3] Giulini, D., Joos, E., Kiefer, C., Kupsch, J., Stamatesku, I. O. & Zeh, H. D. 1996 *Decoherence and the Appearance of a Classical World in Quantum Theory* (Berlin: Springer)
- [4] Zurek, W. H. 2003 *Rev. Mod. Phys.* **75** 715
- [5] Schlosshauer, M. 2004 *Rev. Mod. Phys.* **76** 1267
- [6] Breuer, H. P. & Petruccione, F. 2002 *The Theory of Open Quantum Systems* (Oxford: Clarendon Press)
- [7] Bell, J. S. 1964 *Physics* **1** 195
- [8] Nielsen, M. A. & Chuang, I. L. 2000 *Quantum Computation and Quantum Information* (Cambridge: Cambridge University)
- [9] Everett, H. 1957 *Rev. Mod. Phys.* **29** 454
- [10] Deutsch, D. 1985 *Proc. R. Soc. London A* **425** 73
- [11] Tsang, M., Wiseman, H. M. & Caves, C. M. 2011 *Phys. Rev. Lett.* **106** 090401

- [12] Milburn, G. J. 1997 *Schrodinger's Machines: The Quantum Technology Reshaping Everyday Life* (New York: W H Freeman and Company)
- [13] Dugić, M. 1999 arXiv:quant-ph/9903037v1
- [14] Zanardi, P. 2001 *Phys. Rev. Lett.* **87** 077901
- [15] Dugić, M. & Jeknić, J 2006 *Int. J. Theor. Phys.* **45** 2215
- [16] Dugić, M. & Jeknić-Dugić, J. 2008 *Int. J. Theor. Phys.* **47** 805
- [17] De la Torre, A. C. *et al* 2010 *Europ. J. Phys.* **31** 325
- [18] Harshman, N. L. & Wickramasekara, S. 2007 *Phys. Rev. Lett.* **98** 080406.
- [19] Jeknić-Dugić, J. & Dugić, M. 2008 *Chin. Phys. Lett.* **25** 371
- [20] Schulman, L. S. 2004 *Phys. Rev. Lett.* **92** 210404
- [21] Deutsch, D. 1985 *Int. J. Theor. Phys.* **24** 1
- [22] Saunders, S. 1995 *Synthese* **102** 235
- [23] Wallace, D. 2003 *Stud. Hist. Phil. Mod. Phys.* **34** 415
- [24] Brown, H. R. & Wallace, D. 2005 *Found. Phys.* **35** 517
- [25] Boixo, S., Viola, L. & Ortiz, G. 2007 *Europhys. Lett.* **79** 40003
- [26] Viola, L. & Barnum, H. 2007 arXiv:quant-ph/0701124
- [27] Klyachko, A. 2007 *Proc. NATO Advance Study Inst. on Physics and theoretical computer science* J.-P. Gazeau *et al* ed, (Amsterdam: IOS Press); also available as arXiv:0802.4008 [quant-ph]
- [28] Omnes R 1994 *The Interpretation of Quantum Mechanics* (Princeton: Princeton University)
- [29] Dugić, M. & Jeknić-Dugić, J. 2010 arXiv:1011.5919 [quant-ph]

SHORT TITLE: entanglement relativity: questioning the Everett interpretation

Quantum Structures of a Model-Universe: Questioning the Everett Interpretation of Quantum Mechanics

J. Jeknić-Dugić^{*1}, M. Dugić[†], A. Francom[§]

^{*}Department of Physics, Faculty of Science, Niš, Serbia

[†]Department of Physics, Faculty of Science, Kragujevac, Serbia

[§]Austin, TX 78748, USA

Abstract Our objective is to demonstrate an inconsistency with both the original and modern Everettian Many Worlds Interpretations. We do this by examining two important corollaries of the universally valid quantum mechanics in the context of the Quantum Brownian Motion (QBM) model: "Entanglement Relativity" and the "parallel occurrence of decoherence." We conclude that the highlighted inconsistency demands that either there is a privileged spatial structure of the QBM model universe or that the Everettian Worlds are not physically real.

Keywords Everett Interpretation, Entanglement Relativity, Quantum Brownian Motion, Parallel Occurrence of Decoherence

1 Introduction

"Today, it is often said that in Everettian quantum theory the notion of parallel 'worlds' or 'universes' applies only to the macroscopic worlds defined (approximately) by decoherence. Formerly, it was common to assert the existence of many worlds at the microscopic level as well. Without entering into any controversy that might still remain about this, here for completeness we shall address the Claim for both 'microscopic' and 'macroscopic' cases." (A. Valentini, Chapter 16 in Ref. [1].)

As the Everettian quantum theory claims to be a valid interpretation of the universally valid quantum mechanics, there should be no known model in which it fails to perform.

Using the Quantum Brownian Motion (QBM) model [2-5] as a 'model universe', Entanglement Relativity (ER) [6-15], and the Parallel Occurrence of Decoherence (POD) [16], we will demonstrate for the first time using these methods, an inconsistency with both the original [17] and modern version [1] of Everettian quantum theory.

The QBM model affords us the opportunity to avoid getting involved with extending or arguing in the realm of "interpretation" because firstly it

¹Email: jjeknic@pmf.ni.ac.rs

is a non-trivial model universe (a model of an isolated quantum mechanical system) referring to a realistic and mathematically well-defined physical situation, and secondly, the QBM model is paradigmatic for the Everett Interpretation (cf. e.g. S. Saunders, Introductory chapter, D. Wallace, Chapter 1, and J. Hartle, Chapter 2 in Ref. [1]): as it directly implements the quasi-classical dynamics of the decoherence-selected basis of wavepackets approximately localized in both position and momentum of the open system (of the Brownian particle).

[Our emphasis] [18]: *"...it is only with the rise of decoherence theory that philosophers and physicists were able to recognize what was clear to Everett and to his follower DeWitt from the start, namely, that the 'quantum formalism is capable of yielding its own interpretation' and that no additional amendments to the theory are required in order to answer how these branches are to be defined."*

Entanglement Relativity, as introduced and discussed in Section 2, demonstrates the inconsistency with Everett's original "relative state" interpretation [17] in Section 3. The Parallel Occurrence of Decoherence introduced and discussed in Section 4 discusses the modern Everett Interpretation [1] in this form of decoherence again using the QBM model and again obtaining an inconsistency with Entanglement Relativity.

The more modern Everett Interpretation utilizes decoherence as a mechanism that enables quasi-classical structures to emerge from the underlying quantum theory and which bear mutually practically independent autonomous dynamics [1]. On the other hand, the parallel occurrence of decoherence for the QBM model [16] points out the simultaneous existence of at least *two* such quasi-classical, mutually irreducible (i.e., mutually non-derivable from each other by further decomposing, grouping or permutations of subsystems) structures, each bearing its own autonomous dynamics. In other words: POD points out the existence of not only one, but *two* mutually independent and irreducible Brownian particles that are subsystems of the same composite system. As long as this is a consistent quantum mechanical picture, we show that this makes for the apparent inconsistency in the very foundations of the Everett Interpretation. In Section 5 we show that the inconsistency can be removed if there is a privileged spatial structure of the model-universe (only one Brownian particle is physically *realistic*). The absence of a particular rule/prescription or a criteria for choosing the preferred structure forces us to conclude that the highlighted inconsistency is not removed. In Section 6 we present a discussion mainly devoted to the novelty of our considerations. We conclude in Section 7.

2. Entanglement relativity

Below, we will discuss Entanglement relativity (ER) as a subtle, and perhaps often overlooked aspect of the universally valid quantum mechanics. With an eye towards this subtlety, references [6-15] demonstrate how ER appears in quantum mechanics related articles, For the sake of clarity we will now highlight and analyse its important aspects.

The hydrogen atom is defined as a bipartite system "electron + proton ($e + p$)". However, in practice it is recognized as a pair "center of mass + relative coordinates ($CM + R$)". These two atom decompositions (structures) are mutually linked by the well known linear canonical transformations (LCTs) which introduce CM and R to the atom. The relevant LCTs allow for the "separation of variables" and for the exact solution to the Schrödinger equation in the $CM + R$ decomposition. The related quantum state (while neglecting the atomic spin) is in separable form $|\chi\rangle_{CM}|nlm_l\rangle_R$, where n, l, m_l are the well known numbers from quantum theory for the hydrogen atom.

On the other hand, the Coulomb interaction between e and p leads to the conclusion that the pair $e + p$ must be in an entangled state of the form $\sum_i c_i |i\rangle_e |i\rangle_p$. Bearing in mind that $e + p = \text{atom} = CM + R$, the universally valid quantum mechanics implies the following equality (for an instant of time):

$$\sum_i c_i |i\rangle_e |i\rangle_p = |\chi\rangle_{CM} |nlm_l\rangle_R. \quad (1)$$

Eq. (1) is paradigmatic for ER in that a change of the spatial degrees of freedom of a composite system typically results in a formal change of the composite system's quantum state. There is entanglement for every instantaneous quantum state of a composite quantum system and the very concept of entanglement is *relative*.

In a more abstract form eq. (1) reads as follows, where, of course, $1 + 2 = C = S + S'$:

$$\sum_i c_i |i\rangle_1 |i\rangle_2 = |\chi\rangle_S |\psi\rangle_{S'}, \quad (2)$$

Then, one may undertake the task of kinematically transforming the left hand side into the right hand side of eq. (2), and *vice versa*. Generally, this is a formidable task not yet very well known. However, for some models [3-5, 8, 11], we already know about the validity of eq. (2) as a corollary of the universally valid quantum mechanics.

Equation (2) applies to a system $\mathcal{C}$ of arbitrary complexity. To illustrate, one can first directly generalize ER as follows:

$$\sum_p \alpha_p |\varphi_p\rangle_1 |\Phi_p\rangle_2 = \sum_k \beta_k |\mu_k\rangle_S |\nu_k\rangle_{S'}. \quad (3)$$

Now, two remarks are in order regarding eq. (3). First, every subsystem of $\mathcal{C}$ ($1; 2; S; S'$) may bear its own structure and related internal entanglement. Second, the above expressions equally refer to the cases when certain subsystems (e.g. the atomic spin, or the system's environment) are neglected or implicit or that are not yet known. Thereby ER eq. (2) equally addresses the hydrogen atom as well as the quantum Universe. For the hydrogen atom in a non-relativistic frame eq. (2) is precise, while for "the Universe" the expression of eq. (2), and likewise of eq. (3), assumes that further decomposing of universal subsystems is possible.

Eq. (2) reveals the presence of nontrivial non-negligible quantum entanglement in a composite quantum system relative to the pertinent degrees of freedom. We do not account for the change in entanglement due to a change of the reference frame [19]. ER otherwise is effectively ubiquitous.

As emphasized in Appendix 1, virtually every separable state for one decomposition obtains nontrivial non-negligible entangled form for virtually every alternative decomposition despite possible exceptional cases [6, 8, 20]. For the models of the negligible entanglement see Refs. [21] and the further references therein.

Entanglement Relativity therefore is a descriptive name for that there is always an entangled form of a composite system's state.

3. Inconsistency in the Everett's "relative state" interpretation

In agreement with the now-standard considerations [1] (and the references therein), we refer to a bipartite model of the universe. This formal simplification does not bring any lack of generality to the conclusions as long as unitary dynamics (Schrödinger law) is assumed for the universe and that the "irrelevant" degrees of freedom are implicit to eq. (2) and eq. (3) for every instant of time.

3.1 The inconsistency

Everett's rule on "splitting" ("branching") [17] is simple and straightforward yet generally applicable to the measurement-like interactions in a composite system. By way of eq. (2), the "splitting" ("branching") gives rise to a World (an Everett world) that is in a separable state e.g.

$$|\varphi_p\rangle_1 |\Phi_p\rangle_2, \quad (4)$$

while the linear superposition of these states (cf. the lhs of eq. (3)) evolves in time according to the Schrödinger law such that every Everett-world is described by some separable state in the form of eq. (4). The unitary dynamics of $\mathcal{C}$ gives rise to alternating entanglement formation and "splitting of worlds". While the "original" decomposition models a quantum measurement (system 2 performs a measurement on system 1), we assume that the new system S' , which appears in eqs. (2)-(3), also performs a measurement on (is in a measurement-like interaction with) subsystem S . Pending the justification of this assumption in Section 4, the alternative decomposition $S + S'$ is also eligible for "splitting".

In accordance with ER, eq. (2), eq. (3) results in:

$$|\varphi_p\rangle_1 |\Phi_p\rangle_2 = \sum_k^I \beta_k |\nu_k\rangle_S |\kappa_k\rangle_{S'} \quad (5)$$

and

$$\sum_{p,q}^I \alpha_{pq} |\varphi_p\rangle_1 |\Phi_p\rangle_2 = |\nu_k\rangle_S |\kappa_k\rangle_{S'} \quad (6)$$

where the primed sums exhibit non-equality with the similar sums in eq. (3). The very presence of non-negligible (cf. Section 2 and Appendix 1) entanglement in eqs. (5)-(6) clearly points out: the splitting for 1+2 excludes the splitting for $S + S'$, cf. eq. (5), and *vice versa*, cf. eq. (6). Thus ER states that "splitting" *cannot* occur.

3.2 A critical note

The original Everett interpretation [17] does not consider a dynamical mechanism underlying the splitting effect. To this end, one may say that Everett's original considerations are somewhat physically 'static'. On the other hand, as emphasized in the Introduction, the modern Everett Interpretation [1] introduces the occurrence of decoherence as the fast, practically irreversible dynamical mechanism underlying the splitting without necessarily resorting to the entanglement-based arguments of Section 3.1. Due to the finite "decoherence time", the emergent quasi-classical structure of the Everett-worlds bears a "coarse-grained" time axis; for the time intervals of the order of (or shorter than) the decoherence time, the Everett-worlds are not resolved. For most practical purposes, this coarse graining of the time axis may be neglected. Bearing all this in mind, one may wonder if our conclusions may survive a more elaborate dynamical analysis.

We perform a dynamical analysis in the next section, without tackling any of the open issues such as the "preferred basis problem" [22-28] or the

”probability problem” [29-33], while providing the full dynamical arguments for the existence of inconsistencies in the Everett interpretation foundation, as well as justifying the assumption of Section 3.1 alternative structure splitting eligibility. Finally, as the ”consistent history approach” is a convenient language rather than a well established method for the purposes of our considerations [34], we do not present our findings in such terms.

4. Parallel occurrence of decoherence and the appearance of the inconsistency

The occurrence of decoherence for the Universe is a plausible conjecture, an extrapolation of the existing (typically very simple) models of the decoherence theory. While there is progress in describing the ever more-complex systems by decoherence, the truly complex systems, such as the Universe, are as yet out of reach. Therefore there is no alternative to modelling the Universe except but to employ relatively simple models.

Nevertheless, considering the simple models does not decrease the importance of the conclusions obtained as the Everett Interpretation has pled to full universality, i.e. to model-independence. In principle, this makes the simple models equally useful for drawing general conclusions within the Everett Interpretation (cf. e.g. [23]).

Bearing that in mind, we examine the well-known Quantum Brownian Motion (QBM) [2-5] model, paradigmatic for our purposes. First, it is a nontrivial model referring to a realistic physical situation. Second, the QBM model directly distinguishes the Gaussian states as the decoherence-selected ”preferred states” of paramount importance for the Everett Interpretation (S. Saunders, Introductory chapter in Ref. [1]):

” In contrast, states well localized in phase space—wavepackets—reliably decohere, and even though elements of a superposition, evolve autonomously from each other for a wide class of Hamiltonians. With respect to states like these, Ehrenfest’s theorem takes on a greatly strengthened form. But decoherence in this sense is invariably approximate; it is never an all-or-nothing thing.”

4.1 Parallel decoherence for the QBM model

We briefly consider the well-known model of quantum Brownian motion (QBM) [2-5] (and the references therein). The model considers a point-like particle 1 (or the particle’s center-of-mass) interacting with the harmonic-bath oscillators (system 2). The composite system $\mathcal{C} = 1 + 2$ is defined by the $\mathcal{C}$ ’s state-space $H_1 \otimes H_2$ tensor-product structure and the total Hamiltonian:

$$\begin{aligned}\hat{H} &= \frac{\hat{p}_1^2}{2m_1} + V(\hat{x}_1) + \sum_i \left(\frac{\hat{p}_{2i}^2}{2m_{2i}} + \frac{m_{2i}\omega_i^2 \hat{x}_{2i}^2}{2} \right) \\ \pm \hat{x}_1 \sum_i \kappa_i \hat{x}_{2i} &\equiv \hat{H}_1 + \hat{H}_2 + \hat{H}_{1+2},\end{aligned}\tag{7}$$

where the index i enumerates the environmental particles, and the sign $\pm$ is in accordance with the variations of the model contained in the literature. The physically relevant open system models are usually considered (cf. e.g. [3]): $V(\hat{x}_1) = 0$ for the free particle, or $V(\hat{x}_1) = m_1\omega^2\hat{x}_1^2/2$ for the harmonic oscillator.

The initial state $\hat{\rho}_C$ of the pair $1 + 2$ is separable, $\hat{\rho}_C = \hat{\rho}_1 \otimes \hat{\rho}_{2th}$, while $\hat{\rho}_{2th}$ means that the harmonic-bath environment is in thermal equilibrium. The general QBM theory states: The open system 1 is subject to decoherence induced by its environment 2, while related "pointer basis" (the robust, quasi-classical) states are the Gaussian states. The Gaussian states dynamics is very much like that which would be expected in a classical system: due to the large environment 2, decoherence effectively irreversibly destroys the linear superpositions of the Gaussian states of the system 1; the environment 2 effectively performs the approximate position-measurement for system 1. System 1, i.e. the "Brownian particle", exhibits quasi-classical behavior very much like the "classical Brownian particle". Therefore the composite $\mathcal{C}$ system is a proper model-universe.

Now, analogous to the Hydrogen Atom case, we consider an alternative structure $S' + E'$ of the composite system $\mathcal{C}$, $1 + 2 = \mathcal{C} = S' + E'$: S' which represents the center-of-mass system and the E' represents the "relative positions" system for the isolated composite system $\mathcal{C}$ [16]. Thus, the two structures are *mutually irreducible*. They can not be obtained from each other by further decomposing or by related subsystems grouping. Furthermore, both open systems, 1 and S' , are 'elementary' (see eq. (8) below) i.e., they have no structure themselves and can not be further decomposed into more elementary subsystems. As to the new structure, its state-space tensor-product structure is $H_{S'} \otimes H_{E'}$, while the Hamiltonian eq. (7) acquires the form:

$$\begin{aligned}\hat{H} &= \frac{\hat{P}_{S'}^2}{2M} + \frac{1}{2}M\Omega^2\hat{X}_{S'}^2 + \sum_\alpha \left(\frac{\hat{p}_{E'\alpha}^2}{2\mu_\alpha} + \frac{1}{2}\mu_\alpha\nu_\alpha^2\hat{\rho}_{E'\alpha}^2 \right) \\ + \hat{V}_{E'} \pm \hat{X}_{S'} \sum_\alpha \sigma_\alpha \hat{\rho}_{E'\alpha} &\equiv \hat{H}_{S'} + \hat{H}_{E'} + \hat{H}_{S'+E'}.\end{aligned}\tag{8}$$

Therefore, the two structures' unitary dynamics are mutually *independent* and *autonomous*. Further technical details can be found in Ref. [16].

Formally, the model eq. (8) is the same as model eq. (7). The differences lie in characteristic frequencies and in the presence/absence of the open systems' external fields, cf. e.g. $V(\hat{x}_1)$ in eq. (7), likewise in the internal coupling in E' (cf. the term $\hat{V}_{E'}$ in eq. (8)), while we still have to account for ER eq. (2). Actually, for the separable initial state $\hat{\rho}_C$ regarding the $1 + 2$ 'fundamental' structure, ER implies the presence of correlations in the $S' + E'$ alternative structure. Therefore, it does not establish that the new (E') environment is in thermal equilibrium. Generally speaking, alternative structure decoherence occurrences may be a formidable task. Fortunately, this is not the case in our QBM example.

As it is well-known [2-5], the occurrence of the Brownian effect is largely independent from the details distinguishing both models, eq. (7) and eq. (8). Particularly, the occurrence of decoherence (i.e. of the effective approximate position-measurement of the Brownian particle) is independent of the presence/absence of correlations (quantum or classical) in the initial state, of the strength of the interaction in the composite system "Brownian particle + harmonic-oscillators-environment" or on, the so-called, form of the "spectral density" [2-5]. The formal similarity between the two models, eq. (7) and eq. (8), allows us to draw the following conclusion on the parallel occurrence of decoherence [16]:

The unitary evolution of the initial state $\hat{\rho}_C$ generated by the Hamiltonian $\hat{H}$ gives, for the different structures of $\mathcal{C}$: For as much as System 1 represents the "Brownian Particle", in the $1 + 2$ decomposition, System S' represents the "Brownian Particle" for the $S' + E'$ decomposition

The approximate position-measurement of the "Brownian particle" S' justifies our assumption on the quantum measurement, i.e., on the alternative splitting structure eligibility, Section 3.1.

4.2 The inconsistency: dynamical arguments

It is worth repeating: Both structures, eq. (7) and eq. (8), are formally equal and mutually irreducible. Both structures bear a physically clear "system-environment split" with the large environments capable of providing fast decoherence as an effectively irreversible process. As both Brownian particles, 1 and S' , are elementary (one-dimensional), the number of degrees of freedom in 2 is equal to the number of the degrees of freedom in the E' environment. The initial state for both decompositions is the same, while being subject to ER. The two decoherence processes (for 1 and for S') unfold simultaneously and autonomously, i.e. independently of each other. The basis (the "preferred states") picked out by decoherence *for both open systems* is approximately e.g. a "coherent-state" (a wavepacket) basis whose dynam-

ics are quasi-classical in the sense that the behavior of those wavepackets approximates the behavior predicted for the classical Brownian particle. In apparent disagreement with Everett Interpretation, the "[for a set of the] *wavepackets, the system is isomorphic to a collection of dynamically independent simulacra of the classical Brownian particle*" (cf. Wallace, Chapter 1 in Ref. [1]), now applies not to one but to at least two mutually irreducible and dynamically independent such "collections". This disagreement amounts to an inconsistency in the very foundations of the Everett Interpretation in the following dynamical analysis.

If we return to the environments under consideration, then the model-universe state bears entanglement (cf. J. Halliwell, Chapter 3 in Ref. [1]):

"If the Everett interpretation of quantum theory is to be taken seriously, there will exist superposition states for macroscopic systems, perhaps even for the entire universe. Since such states are not observed, it is therefore necessary to explain why they go away. This question is a key part of the general question of the emergence of classical behavior from quantum theory, an issue that has received a considerable amount of attention (Hartle [1994] and Chapter 2 above)."

So (cf. eq. (5) in Wallace, Chapter 1 in Ref. [1]) that for the decomposition $1 + 2$ reads:

$$|\Psi(t)\rangle_C = \int dx_1 dp_1 \alpha(x_1, p_1, t) |x_1, p_1\rangle_1 \otimes |\epsilon(x_1, p_1)\rangle_2. \quad (9)$$

In the presence of decoherence, Section 4.1, $|\alpha(x_1, p_1, t)|^2$ evolves, to a good approximation, like a classical probability density on phase space for the 1 open system.

Now Section 4.1 suggests analogous equality for alternative decomposition $S' + E'$:

$$|\Psi(t)\rangle_C = \int dX_{S'} dP_{S'} \beta(X_{S'}, P_{S'}, t) |X_{S'}, P_{S'}\rangle_{S'} \otimes |\epsilon(X_{S'}, P_{S'})\rangle_{E'}. \quad (10)$$

In the presence of decoherence, Section 4.1, $|\beta(X_{S'}, P_{S'}, t)|^2$ evolves, to a good approximation, like a classical probability density on phase space for the open system S' .

According to the universally valid Quantum Mechanics, the right hand sides of the expressions (9) and (10) must be mutually equal for the fixed instant of time, t , and for the countable set of states, ER expressions (5) and (6) appear as special cases of this equality. However, this does not support the Everett Interpretation of Quantum Mechanics.

According to the *Everett Interpretation* [1, 17], expressions eq. (9), and eq. (10) clearly demonstrate that both structures, $1+2$ and $S'+E'$, are eligible for

splitting. However, according to ER, cf. e.g. eqs (5)-(6) and Appendix 1, the decoherence-induced splitting for the two structures are mutually exclusive. Thereby, while decoherence dynamically induces a separable state for the $1 + 2$ structure, simultaneously it produces entanglement for the structure $S' + E'$, and *vice versa*. So, *within the Everettian paradigm*, one directly concludes: A separable state for one structure does not last longer than the decoherence-induced splitting for the alternative structure. Bearing in mind that the decoherence is rather fast (also for the structures in Section 4.1, cf. eq. (10) in Ref. [16]) and that in the course of the occurrence of decoherence the Everett-worlds are not resolved, we *dynamically generalize* the conclusion of Section 3.1: Mutually exclusive yet simultaneous splitting processes effectively result in the impossibility of World-Splitting for both structures of the composite system.

While the basic assumption of Everett Interpretation on the separable state for every Everett-world in a virtually arbitrary instant in time is not inconsistent either with ER (eqs. (5)-(6)), or with POD (eqs. (9)-(10)), separately, it is *not consistent* with ER *and* POD together. That, in turn, reveals the inconsistency in the very foundation of the Everett interpretation based on the assumption of the realistic Everett worlds [1, 17]. In other words, as we have just shown, the Everett Interpretation assumption on separable states for the realistic Everett-worlds (in virtually every instant of time) [1, 17] is not only non-derivable from the universally valid quantum mechanics, it is in apparent conflict with universally valid quantum mechanics.

5. In search of the 'privileged structure'

The following idea for overcoming the above highlighted inconsistency is immediate: if there is *but one* model-universe structure (e.g. $1 + 2$) *realistic*, then both ER, and POD, albeit formally correct, lose their physical relevance in Everett Interpretation. This means that, neither existence, nor splitting can be considered physically realistic for the alternative ($S' + E'$) structure.

While this raises some interpretational questions, in this section, we refer exclusively to the operational recipes for selecting a preferred structure of a composite quantum system.

- *Coarse-graining. Counterintuitive structures.* Some variations on "structure" have already been considered insubstantial as applied to the foundations of the Everett Interpretation. First, the "coarse-graining" operation is found not to change the general conclusions regarding the Everett Interpretation in the context of the consistent history approach [34-37]. To this end, it is apparent that the QBM structures considered in Section 4 cannot be mutually obtained via "coarse graining" as introduced and considered in

[34-37]. Second, there are some more refined structural analysis that are considered interpretationally inessential, as such structures are counterintuitive [38] (and the references therein). However, this has nothing to do with our considerations. There are at least two reasons for this. On one hand, the two systems, 1, and S' , play the same physical roles of the "Brownian particle" in their respective structures, i.e., there is nothing more intuitive about the 'original' Brownian particle 1 system than there is about the 'alternative' S' system. On the other hand, not all composite system structures (and respective subsystems correlations) are physically relevant. In other words, as evident in Sections 4.1-4.2, we do not consider all possible formal structures (and their respective subsystems' entanglement) to be on equal footing. On the contrary, we distinguish the structures that can, and actually do, support the occurrence of decoherence, i.e., within the Everett Interpretation, supporting the worlds-splitting. This, of course, can not be expected for arbitrary structures—the task of the "parallel occurrence of decoherence" is a new challenging task in the foundations of the decoherence theory [16]

- *Generalized entanglement arguments.* According to the "generalized entanglement" approach [4, 39-41], we directly recognize the experimentally accessible observables in every practical situation. As a consequence, only decompositions pertaining to the accessible, preferred observables are physically important, i.e., physically relevant. All other decompositions, in *that* situation, should be considered physically irrelevant (artificial). However, while this approach is operationally sound, it refers to the open systems that should be compared to the above 1 system, for example. *But this is not our case.* As given by the model eq (8), the variables of the subsystems of the new structure mix the open-system's (1's) *and* the environmental (2's) degrees of freedom regarding the 'original' structure (1+2). For such kind of the structures, one usually does *not* distinguish the preferred (the accessible) observables; furthermore, for the macroscopic systems, likewise the Universe itself, this is even in principle not possible [42].

We conclude these considerations with the remarks made by Zanardi's [7]:

"Without further physical assumption, no partition has an ontologically superior status with respect to any other."

as well as by Halliwell (Chapter 3 in Ref. [1]) about the isolated quantum systems:

"However, for many macroscopic systems, and in particular for the universe as a whole, there may be no natural split into distinguished subsystems and the rest, and another way of identifying the naturally decoherent variables is required."

As we have not recognized a physically sound approach, or criteria for choosing the 'privileged' isolated composite quantum system spatial structure (notably for the quantum Universe), we are forced to conclude that the basic Everett Interpretation inconsistency has not yet been resolved.

6. Discussion

We present our main result contained in Section 4.2 in the following simplified form:

Following the *Everett Interpretation* logic, as in (cf. Wallace, Chapter 1, Ref. [1]), expressions (9) and (10) accounting for decoherence occurrence in both structures should be interpreted as: Except for the short, practically negligible time intervals, each of the order of "decoherence time", an Everett-world quasi-classically evolves in time (approximately) as mapping between separable states of form $|x_1, p_1\rangle_1 \otimes |\epsilon(x_1, p_1)\rangle_2$ for $1 + 2$ structure, *and* in analogous form for $S' + E'$ structure for separable states of the form $|X_{S'}, P_{S'}\rangle_{S'} \otimes |\epsilon(X_{S'}, \hat{P}_{S'})\rangle_{E'}$. This 'parallel splitting' in its simplified form results in:

$$|x_1, p_1\rangle_1 \otimes |\epsilon(x_1, p_1)\rangle_2 \approx |X_{S'}, P_{S'}\rangle_{S'} \otimes |\epsilon(X_{S'}, \hat{P}_{S'})\rangle_{E'} \quad (11)$$

for virtually every instant in time. However, eq. (11) is in conflict with ER. Even if in some instant(s) in time and for some special states [3-5, 8, 11] eq. (11) can be valid, it is unlikely to be satisfied in the very next instant of time as (cf. Appendix 1) the unitary evolution tends to introduce entanglement for at least one structure, $1 + 2$ or $S' + E'$. This was unknown to Everett [17]: Entanglement is ubiquitous for a composite system and cannot be suspended [3-12]. Consequently, dynamically, as emphasized in Section 4.2 and justified in Section 5, the 'parallel splitting' is not allowed, according to quantum mechanics.

Parallel occurrence of decoherence described in Section 4.1 is actually applicable to a number of similar models of quantum decoherence/measurement theory. Therefore it applies to a *class* of quantum-mechanically relevant models [16].

What we report on here is that the Everett Interpretation is inapplicable to at least one class of the physically relevant, realistic and *Everett-Interpretation-related* quantum mechanical models. To the extent that this result can be relied on, according to Ladyman, cf. Ref. [1], p. 154, we conclude that the Everettian Quantum Mechanics is *not "coherent"*. To the best of our knowledge, Everett Interpretation has not yet been found to depart from the universally valid quantum mechanics for any quantum mechanically relevant model.

The possible route to saving such Everett Interpretation (Section 5) demonstrates how serious is the challenge posed by our results to the foundations of the Everett Interpretation: Unless there is a privileged, spatial structure of the Universe, the Everett interpretation appears either not to be correct or the Everett-worlds (the Everett "branches") are not physically real.

7. Conclusion

We demonstrate that the Everett Interpretation is not consistent with the universally valid quantum mechanics, as long as the Everett-worlds are considered physically realistic. This inconsistency follows from the recent results of Entanglement Relativity and the Parallel occurrence of decoherence (provided for the Quantum Brownian Motion-like models) as corollaries of the universally valid quantum mechanics. In simplified terms: the Everett worlds splitting (branching) is not allowed for the realistic Everett worlds. Thus, we conclude: Unless there is a privileged, spatial structure (decomposition into subsystems) of the model-universe, Everett Interpretation appears either to be not correct or the Everett-worlds (the Everett "branches") are not physically real. The interpretational consequences as well as some ramifications of our findings are yet to be explored.

Acknowledgements JJD and MD acknowledge financial support from the Ministry of Science Serbia under contract no 171028.

Appendix 1

As a criterion for separability, we employ "quantum covariance function" [11], C_f , defined as:

$$C_f = \langle \hat{A}_{S'} \hat{B}_{E'} \rangle - \langle \hat{A}_{S'} \rangle \langle \hat{B}_{E'} \rangle \quad (12)$$

that refers to a separable state $|\Psi\rangle = |\phi\rangle_1 |\chi\rangle_2$ and to a pair of the observables, $\hat{A}_{S'}$ and $\hat{B}_{E'}$, for the "new" subsystems, S' and E' , respectively. If the state $|\Psi\rangle$ is also separable for the new decomposition $(S' + E')$, then ER, eq. (2), does not apply, and $C_f = 0$. Nevertheless, $C_f = 0$ is necessary, not yet a condition sufficient for state-separability.

Let us consider a pair of observables, $\hat{\xi}_{S'} = \sum_i \alpha_i \hat{x}_i$ and $\hat{\eta}_{E'} = \sum_j \beta_j \hat{x}_j$. For simplicity, let us assume that $\hat{x}_1$ is the only degree of freedom of the 1 system, and that the rest refers to the 2 system. Then, agreeing that all sums refer to the 2 system degrees of freedom, one obtains:

$$C_f = \alpha_1 \beta_1 (\Delta \hat{x}_1)^2 + \sum_i \alpha_i \beta_i (\Delta \hat{x}_i)^2 + \sum_{i \neq j} \alpha_i \beta_j (\langle \hat{x}_i \hat{x}_j \rangle - \langle \hat{x}_i \rangle \langle \hat{x}_j \rangle), \quad (13)$$

where $\Delta\hat{x}$ stands for the "standard deviations", and the averaging ($\langle * \rangle$) is over the state $|\Psi\rangle$. In order to ER eq. (2) *not* to be valid, it is necessary that $C_f = 0$ applies to all the pairs of the observables of S' and E' .

Generally, the $C_f = 0$ condition is quite non-transparent. Thus, let us consider Section 4.1 model, while—in search of the $C_f = 0$ possibility—we assume both: That the 1 system is a harmonic oscillator in its ground state, and that $|\chi\rangle_2$ is the ground-states tensor-product for every harmonic oscillator in the 2 environment. Then $\hat{\xi}_{S'} = \sum_i m_i \hat{x}_i / M$, and, e.g., $\hat{\eta}_{E'i} = \hat{x}_1 - \hat{x}_i, \forall i$, that simplifies eq. (13):

$$C_f^{(i)} = \alpha_1(\Delta\hat{x}_1)^2 - \alpha_i(\Delta\hat{x}_i)^2. \quad (14)$$

As we deal with harmonic oscillators for the 1+2 decomposition, $(\Delta\hat{x})^2 = \hbar/2m\omega$ for each oscillator, one discovers that the desired condition $C_f^{(i)} = 0$ implies $\omega_1 = \omega_i$, where ω_1 is the 1 open system frequency, and ω_i is the i th oscillator frequency in the environment. In order for the ER not to be valid, eq. (14) forces the nonrealistic constraint $\omega_1 = \omega_i, \forall i$. So, one can say that independent of a composite system model, the number of states bearing separable form for both structures is by far negligible to the number of states fulfilling ER eq. (2). For this reason, we simply ignore possible ER exceptions in the greater portion of this paper.

The cases of ($C_f \approx 0$) approximate separability, obviously, are also accounted for above. Thus, the variables-transformations typically provide a non-trivial (non-negligible) change in quantum state separability: Typically, approximate equalities of the form $|\psi\rangle_1|\chi\rangle_2 \approx |\Psi\rangle_{S'}|\Phi\rangle_{E'}$ are not satisfied.

From the perspective of a composite system unitary evolution, ER provides the following interesting observation: Keeping in mind, on one hand, the one-to-one correspondence between the instants of time, and the quantum state sets for the composite system, and the negligible number of the states not fulfilling ER compared to the number of states described by ER, on the other, we conclude that in the composite system unitary dynamics, for the most part, at least one structure will bear entanglement. e.g. Even if the initial state of the composite system is separable for both structures, the state dynamic change will, according to ER, spoil the separability: the dynamics spontaneously provides entanglement for at least one decomposition, already in the next instant in time.

REFERENCES

- [1] Saunders, S., Barrett, J., Kent, A., Wallace, D. (eds.) 2010 *Many Worlds? Everett, Quantum Theory, and Reality*. Oxford: Oxford University Press.

- [2] Giulini, D., Joos, E., Kiefer, C., Kupsch, J., Stamatescu, I.-O., Zeh, H. D. 1996 *Decoherence and the Appearance of a Classical World in Quantum Theory*. Berlin: Springer.
- [3] Breuer, H.-P., Petruccione, F. 2002 *The Theory of Open Quantum Systems*. Oxford: Clarendon Press.
- [4] Caldeira, A.O., Leggett, A. J. 1985 Influence of damping on quantum interference: An exactly soluble model. *Phys. Rev. A* **31**, 1059-1066.
- [5] Romero, L. D., Paz, J. P. 1997 Decoherence and initial correlations in quantum Brownian motion. *Phys. Rev. A* **55** 4070-4083.
- [6] Dugić M. 1999 What is "system" : the arguments from the decoherence theory. arXiv:quant-ph/9903037v1.
- [7] Zanardi, P. 2001 Virtual Quantum Subsystems. *Phys. Rev. Lett.* **87**, 077901.
- [8] Dugić, M., Jeknić, J. 2006 What is "System": Some Decoherence-Theory Arguments. *Int. J. Theor. Phys.* **45**, 2249-2259.
- [9] Ciancio E., Giorda P., Zanardi P. 2006 Mode transformations and entanglement relativity in bipartite Gaussian states. *Phys. Lett. A* **354**, 274-280.
- [10] Dugić, M., Jeknić-Dugić, J. 2008 What Is "System": The Information-Theoretic Arguments. *Int. J. Theor. Phys.* **47**, 805-813.
- [11] De la Torre, A. C. *et al* 2010 Entanglement for all quantum states. *Europ. J. Phys.* **31**, 325-332.
- [12] Harshman, N. L., Wickramasekara, S. 2007 Galilean and Dynamical Invariance of Entanglement in Particle Scattering. *Phys. Rev. Lett.* **98**, 080406.
- [13] Jeknić-Dugić, J., Dugić, M. 2008 Multiple System-Decomposition Method for Avoiding Quantum Decoherence. *Chin. Phys. Lett.* **25**, 371-374.
- [14] Terra Cunha, M. O., Dunningham, J. A., Vedral, V. 2007 Entanglement in single-particle systems. *Proc. R. Soc. A* **463**, 2277-2286.
- [15] Tommasini, P., Timmermans, E., Piza, A.F.R.D. 1998 The hydrogen atom as an entangled electron-proton system. *Am. J. Phys.* **66**, 881-885.
- [16] Dugić, M., Jeknić-Dugić, J. 2010 Parallel Occurrence of Decoherence in Composite Quantum Systems. arXiv:1011.5919 [quant-ph]
- [17] Everett, H. 1957 "Relative state" formulation of quantum mechanics. *Rev. Mod. Phys.* **29**, 454-462.
- [18] Reference [1] reviewed by A. Hagar 2010 *Philosophical Reviews*. <http://ndpr.nd.edu/news/>
- [19] Gingrich, R. M., Adami, C. 2002 Quantum Entanglement of Moving Bodies. *Phys. Rev. Lett.* **89**, 270402.
- [20] Schulman, L. S. 2004 Evolution of Wave-Packet Spread under Sequential Scattering of Particles of Unequal Mass. *Phys. Rev. Lett.* **92**,

210404.

[21] Dugić, M., Jeknić-Dugić, J. 2009 Quantum Locality for a Pair of Interacting Systems. *Chin. Phys. Lett.* **26**, 090306.

[22] Ballentine, L.E. 1973 Can the statistical postulate of quantum theory be derived?-A critique of the many-universes interpretation. *Foundations of Physics* **3**, 229-240.

[23] Barvinsky, A. O., Kamenshchik, A. Yu. 1995 Preferred basis in quantum theory and the problem of classicalization of the quantum Universe. *Phys. Rev. D* **52**, 743-757.

[34] Stapp, H. P. 2002 The basis problem in many-worlds theories. *Can. J. Phys.* **80**, 1043-1052.

[25] Wallace, D. 2002 Worlds in the Everett Interpretation. *Stud. Hist. Philos. Mod. Phys.* **33**, 637-661.

[26] Wallace, D. 2003 Everett and structure. *Stud. Hist. Philos. Mod. Phys.* **34**, 87-105.

[27] Zurek, W. H. 1998 Decoherence, einselection and the existential interpretation (the rough guide). *Philos. Trans. R. Soc. London, Ser. A* **356**, 1793-1821.

[28] Barrett, J. A. 2005 The Preferred-Basis Problem and the Quantum Mechanics of Everything. *Brit. J. Phil. Sci.* **56**, 199-220.

[29] Deutsch, D. 1999 Quantum theory of probability and decisions. *Proc. R. Soc. A* **455**, 3129-3137.

[30] Barnum, H., Caves, C. M., Finkelstein, J., Fuchs, C. A., Schack, R. 2000 Quantum probability from decision theory?. *Proc. R. Soc. A* **456**, 1175-1182.

[31] Kent, A. 1990 Against many-worlds interpretations. *Int. J. Mod. Phys. A* **5**, 1745-1762.

[32] Wallace, D. 2003 Everettian rationality: defending Deutsch's approach to probability in the Everett interpretation. *Stud. Hist. Philos. Mod. Phys.* **34**, 415-439.

[33] Zurek, W. H. 2003 Environment-Assisted Invariance, Entanglement, and Probabilities in Quantum Physics. *Phys. Rev. Lett.* **90**, 120404.

[34] Griffiths, R. B., Omnès, R. 1999 Consistent Histories and Quantum Measurements. *Phys. Today* **52**, 26-31.

[35] Gell-Mann, M., Hartle, J.B. 1993 Classical equations for quantum systems. *Physical Review D* **47**, 3345-3382.

[36] Saunders, S. 1994 Remarks on decoherent histories theory and the problem of measurement. In *Stochastic Evolution of Quantum States in Open Systems and in Measurement Processes* (ed. L. Diisi), pp.94-105. Singapore: World Scientific

- [37] Saunders, S. 1995 Time, quantum mechanics, and decoherence. *Synthese* **102**, 235-266.
- [38] Schlosshauer, M. 2004 Decoherence, the measurement problem, and interpretations of quantum mechanics. *Rev. Mod. Phys.* **76**, 1267-1395.
- [39] Boixo, S., Viola, L., Ortiz, G. 2002 Generalized Coherent States as Preferred States of Open Quantum Systems. *Europhys. Lett.* **79**, 40003.
- [40] Viola, L., Barnum, H. 2007 Entanglement and Subsystems, Entanglement beyond Subsystems, and All That. arXiv:quant-ph/0701124
- [41] Klyachko, A. 2007 Dynamic symmetry approach to entanglement. In Proc. NATO Advance Study Inst. on Physics and theoretical computer science (ed. J.-P. Gazeau *et al*), pp. 25-54. Amsterdam: IOS Press; available also as arXiv:0802.4008v1 [quant-ph]
- [42] Omnes, R. 1994 *The Interpretation of Quantum Mechanics*. Princeton: Princeton University Press.

Short title: Quantum Structures: Questioning the Everett Interpretation.