

The Core of Approval Participatory Budgeting with Uniform Costs (or with up to Four Projects) is Non-Empty

Reshef Meir

April 13, 2021

Abstract

In the Approval Participatory Budgeting problem an agent prefers a set of projects W' over W if she approves strictly more projects in W' . A set of projects W is in the core, if there is no other set of projects W' and set of agents K that both prefer W' over W and can fund W' . It is an open problem whether the core can be empty, even when project costs are uniform. the latter case is known as the multiwinner voting core.

We show that in any instance with uniform costs or with at most four projects (and any number of agents), the core is nonempty.

1 Introduction

Participatory budgeting (PB) is a general name for a collection of mechanisms and methods to collect and aggregate the preferences of a society regarding the allocation of budget among projects.

There are various models of PB that differ in their assumptions on agents' behavior and preferences, as well as in the restrictions they impose on the input and the output of the allocation process. For example, a very general preference model may allow the utility of an agent to depend on the exact combination of selected projects, whereas a simpler model would assume additive utilities [3]. The arguably simplest preference model assumes *approval utilities* [11, 7]: namely that each agent has a set of 'desired' projects, and is simply interested in funding as many projects as possible from this set.

One primary distinction is between 'discrete' and 'continuous' settings, where in the former every project can be either selected or not; and in the latter every project may be allocated some fraction of the budget, gradually increasing the satisfaction of interested agents.

The core Once we fix the model, we may want to compare different PB mechanisms based on their outcome. Common metrics for comparison deal with either *welfare* (e.g., sum of agents' utilities) or *fairness*.

Within the fairness (or ‘proportionality’) framework several notions have been defined to capture the ‘entitlement’ of a set of agents [1, 8]. Perhaps the most prominent notion is that of the core. We next give an informal definition that does not depend on the model.

Definition 1 (Core - informal). *An outcome S is blocked by another outcome S' , if there is some set of agents V' such that all agents in V' strictly prefer S' over S , and the fraction of V' in the budget is sufficient to fund outcome S' . The core consists of all outcomes that are not blocked.*

We note that the core (and other notions of proportionality) is often interpreted as a way to capture fairness - every set of agents get at least the utility they are entitled to by their fraction of the budget. However we can also think of the core as a notion of *stability*: if agents have the option to ‘opt out’ of the PB endeavour and use their money as they see fit, then a blocking outcome means there is an incentive for some agents to break away. The interpretation will not matter for our purpose.

With continuous budget allocation, it is known that the core is nonempty even under very general utility models [5]. In the discrete model, this is an open question even under approval utilities [2].

Our contribution We provide an convenient way to describe participatory budgeting problems as a graph over project subsets.

We prove that under approval utilities, the core in the discrete model is nonempty if costs are uniform or if there are at most four projects, for any number of agents.

2 Setting

The definitions in this section follow common definitions from the participatory budgeting literature [5, 11].

An approval participatory budgeting (APB) game is given by a tuple $G = (N, M, (A_i)_{i \in N}, (c_j)_{j \in M}, b)$, where

- N is a set of n agents;
- M is a set of m projects;
- $A_i \subseteq M$ is the set of project approved by $i \in N$;
- $c_j \geq 0$ is the cost of project $j \in M$;
- b is the total budget.

We denote $c(M') := \sum_{j \in M'} c_j$ for $M' \subseteq M$ and $b(N') := \frac{|N'|}{|N|}b$ for $N' \subseteq N$, where the latter can be thought of as the budget that ‘belongs’ to the agents of N' .

A valid outcome of the game is a set $W \subseteq M$ s.t. $c(W) \leq b$.

Following our assumption of approval utilities, an agent i prefers W to W' (denoted $W \succ_i W'$) if $|W \cap A_i| > |W' \cap A_i|$. We also denote by $K(W, W') \subseteq N$ the set of all agents that prefer W to W' .

Definition 2 (Blocking pair). *The pair $(K \subseteq N, V \subseteq M)$ blocks outcome W if:*

1. $V \succ_i W$ for all $i \in K$;
2. $c(V) \leq b(K)$.

We say that V blocks W if there is any $K \subseteq N$ such that (K, V) blocks W . Note that if V blocks W then V must be valid.

An easy observation is that V blocks W iff $(K(V, W), V)$ blocks W , i.e. it is enough to consider only the coalition $K(V, W)$.

Definition 3 (Core). *The core of G is*

$$CORE(G) := \{W \subseteq M : W \text{ is not blocked}\}.$$

The following is a known conjecture:

Conjecture 1. *$CORE(G)$ is not empty for any APB game G .*

3 Preparation

Let us first start with some easy observations.

Observation 2. *If $V \subseteq W$ then V does not block W , since $K(V, W) = \emptyset$.*

Observation 3. *If V blocks W , $W' \subseteq W$ then V also blocks W' .*

This is since for any agent i , $|V \cap A_i| > |W \cap A_i| \geq |W' \cap A_i|$.

Observation 4. *If M is valid then it is in the core.*

This follows immediately from Ob. 2.

3.1 Graph representation

We can represent G as a directed graph where nodes are valid outcomes and there is an edge from W to V if V blocks W .

$CORE(G)$ consists of all nodes with outdegree 0 (sinks). In particular if G is acyclic or weakly acyclic (from any node there is a path to a sink) then $CORE(G) \neq \emptyset$.

3.2 The two-project case

Observation 5. *If $m = 2$ then $CORE(G) \neq \emptyset$.*

Proof. Suppose there is a cycle $\{1\} \rightarrow \{2\} \rightarrow \{1\}$. Then $c_1 \leq b(1)$ and $c_2 \leq b(2)$, entailing $c(M) = c_1 + c_2 \leq b(1) + b(2) = b$ so M is valid. Finally, by Observation 4 M is not blocked so it is in the core. $\square$

That is, we broke the (trivial) proof into two steps. The first shows that if there is a cycle, then the union of states in the cycle (which is also a state) is valid. The second part shows that this set is in the core. Agents play no part in the proof, which only considers projects. Can we do something similar with more projects?

Before we return to this question, we will introduce some new notation.

3.3 From agents to subsets of projects

An arbitrary instance of APB (even with a fixed set of projects) may have any number of agents, each with their own preferences. This means many degrees of freedom that are difficult to deal with.

For a subset of projects $W \subseteq M$ we denote by $N(W) := \{i : A_i = W\}$ the agents approving exactly W . We also denote $n_W := |N(W)|$ and $B(W) := b(N(W)) = \frac{b \cdot n_W}{n}$ as the number of agents that approve W and the total budget they can raise, respectively. Given a set of disjoint subsets $\overline{W} = \{W_1, \dots, W_l\}$ we abuse notation by writing $N(\overline{W}) := \sum_{t \leq l} N(W_t)$ and $B(\overline{W}) := \sum_{t \leq l} B(W_t)$.

Note that $N(2^M) = n$ and $B(2^M) = b$.

Phrasing core constraints without agents Note that for any set $S \subseteq M$, all voters in $N(S)$ have the same preferences. We can thus write $V \succ_{N(S)} W$ if $V \succ_i W$ for a voter $i \in N(S)$ (whether such a voter exists or not).

For any $V, W \subseteq M$, we denote by $H(V, W) := \{S \subseteq M : V \succ_{N(S)} W\}$ all sets of projects whose approvers strictly prefer V over W .

Lemma 6. *Denote: $V^+ := V \setminus W$; $W^+ := W \setminus V$; and $Z_{VW} := M \setminus (V^+ \cup W^+)$. Then*

$$H(V, W) = \bigcup_{T \subseteq V^+} \bigcup_{S \subseteq W^+ : |S| < |T|} \bigcup_{U \subseteq Z_{VW}} \{T \cup S \cup U\}.$$

(note that S, U may be empty).

Proof. In one direction, let $T \cup S \cup U$ be a set in $H(V, W)$ and let $i \in N(T \cup S \cup U)$. Then i approves exactly $|T| + |U|$ projects from V and exactly $|S| + |U|$ projects from W . Since $|S| < |T|$ we have $V \succ_i W$.

In the other direction, let i be an agent s.t. $V \succ_i W$. Define $T := A_i \cap V^+$, $S := A_i \cap W^+$, and $U := A_i \cap Z_{VW}$, then it must hold that $|S| < |T|$ and thus $A_i \in H(V, W)$. $\square$

Note also that $H(V, W)$ is the unique set such that $N(H(V, W)) = K(V, W)$.

Since $B(2^M) = b$ and $B(H(V, W)) = b(K(V, W))$, we can rephrase all the relevant constraints on the core of G in terms of subsets of projects, eliminating agents from the notation:

Observation 7. *W is valid if and only if $c(W) \leq B(2^M)$; and V blocks W if and only if $c(V) \leq B(H(V, W))$.*

4 The Three Projects case

Our general technique will be to break down the (infinite) set of APB games into a finite number of cases, where in each of them we can prove a property that entails core nonemptiness. We demonstrate this technique on the simple three-projects case.

Definition 4. *We say that G has the cycle Union property, if for any cycle in G , the union of all states in the cycle is valid.*

Proposition 8. *Every game with $m = 3$ projects has the cycle union property.*

*Proof.*¹ Denote the projects by $M = \{x, y, z\}$. By Ob. 2 there are only two types of cycles: a cycle where all nodes are disjoint sets; and a cycle where all nodes are of size 2. In the first case, the conjecture follows trivially as in Ob. 5.

In the second case, w.l.o.g. we have a cycle $xy \rightarrow yz \rightarrow xz \rightarrow xy$. Due to Ob. 7 we can write these three edges as the following inequalities

$$c(yz) \leq B(H(yz, xy)); \quad c(xz) \leq B(H(xz, yz)); \quad c(xy) \leq B(H(xy, xz)).$$

Adding them together, we get

$$\begin{aligned} 2c(M) &= 2c(xyz) = c(yz) + c(xz) + c(xy) && \text{(additivity of } c) \\ &\leq B(H(yz, xy)) + B(H(xz, yz)) + B(H(xy, xz)) \\ &= B(\{z, yz\}) + B(\{x, xz\}) + B(\{y, xy\}) && \text{(Def. of } H) \\ &= B(\{z, yz, x, xz, y, xy\}) \leq B(2^M) = b. && \text{(additivity of } B, \text{ Ob. 7)} \end{aligned}$$

In particular we get that $c(xyz) < b$, which means that $M = \{xyz\}$ is valid. $\square$

This entails that Conj. 1 holds for every game with at most three projects:

Proposition 9. *Every APB game with at most three projects has a nonempty core.*

Proof. If there is a cycle in the blocking graph of G whose union contains all three projects, then by the cycle union property (for $m = 3$) we get that M is valid, and thus in the core by Ob. 4.

¹Also works if the union of projects in the cycle has at most three items.

If there is a cycle whose union contains only 2 projects (w.l.o.g. $x \rightarrow y \rightarrow x$) then xy is valid. If xy has outdegree 0 we are done. Otherwise we follow the path until we reach a sink or close a cycle. If we close a cycle we must get a cycle that contains all three projects and thus we are in the previous case, and if we hit a sink we are done. $\square$

5 More than Three Projects

Definition 5. An external set for a cycle $(W_t)_{t=1\dots}$ in G is a valid set of projects W' such that: (i) $W_t \subset W'$ for some t ; and (2) there is no t' s.t. $W' \rightarrow W_{t'}$.

That is, it is a strict superset of some state in the cycle, that has no edge back into the cycle, and in particular is not part of the cycle itself. We say that a game G has the *Cycle external set* property if every cycle in G has an external set.

Note that the cycle union property implies the cycle external set property, since there cannot be an edge from the union to a subset of it by Ob. 2.

Conjecture 10. Every APB game G has the cycle external set property.

Proposition 11. Every APB game that has the cycle external set property (in particular any game with the cycle union property) has a nonempty core.

Proof. For a cycle C of outcomes in G , we denote by $U_C \subseteq M$ an arbitrary external set of the cycle. If there are no cycles we are done. If there is a cycle such that $U_C = M$ we are done. Otherwise, partition G into strongly connected components $Q = (Q_1, \dots, Q_z)$, and denote by $U_y := U_{Q_y}$ the union of Q_y ((U_y) may not be disjoint). Consider the DAG of the relations among components of Q , and let Q^* be some component with outdegree 0 in this DAG (i.e. for all $W \in Q^*$ there are only edges to other $V \in Q^*$).

If Q^* contains a single set W then this set is in the core and we are done.

Otherwise, Q^* contains multiple sets that are strongly connected. In particular there is a cycle (not necessarily a simple cycle) that goes through all states of Q^* .

Let U^* be an external set of this cycle. If U^* is in the core we are done. Otherwise there is a set U' that blocks U^* . By property (ii) of an external set, $U' \notin Q^*$, and by property (i), U^* is a superset of some $W \in Q^*$, which means by Ob. 3 that U' blocks W .

This is a contradiction to our selection of Q^* as a component without outgoing edges. $\square$

5.1 Tools for Conjecture 10?

Given a cycle $W_1 \rightarrow W_2 \rightarrow \dots \rightarrow W_l \rightarrow W_1$, we denote $H_t := H(W_t, W_{(t-1) \bmod l})$, so that every cycle can be described as a vector of l pairs: $(W_t, H_t)_{t \leq l}$ where $W_t \subseteq M$ is a set of projects and $H_t \subseteq 2^M$ is a set of subsets (recall that any set

$V \in H_t$ corresponds to the set of agents that approve exactly V and thus prefer W_t over W_{t-1}).

The idea is to use the edge constraints to count how many times each coalition appears on the RHS (in H), and upper bound. For example in the cycle-of-three-pairs in Prop. 8 proof above, each edge in the cycle entails exactly two sets, and these sets must be disjoint. In the general case a set may appear more than once but then its items should (hopefully) also appear a proportional number of times in the LHS.

Cycle Union property as a linear program At least for the simpler property of cycle union, we can get a better understanding of when it holds. Consider an arbitrary cycle $(W_1, \dots, W_h)$. Denote by $U := \bigcup_{t \leq h} W_t$ the union of all projects in the cycle. Suppose we want to construct a game G where this cycle violates the cycle union property, that is, all edges of the cycle are valid, but their union U is not. By “constructing a game” we mean setting projects costs and agents’ preferences, however by Ob. 7 we only need to specify $B(S)$ for every set of projects S rather than defining the agents explicitly.

We get a linear feasibility program over variables $\{c_j\}_{j \in M}; \{B(S)\}_{S \subseteq M}$ (the last three rows ensure we construct a valid game G):

$$\begin{aligned} \sum_{j \in W_t} c_j &\leq \sum_{S \in H_t} B(S), & \forall t \leq h & \quad (\text{cycle edges}) \\ \sum_{j \in U} c_j &> b & & \quad (U \text{ is invalid}) \\ \sum_{S \subseteq M} B(S) &= b \\ c_j &\geq 0, & \forall j \in M \\ B(S) &\geq 0, & \forall S \subseteq M \end{aligned}$$

The program has a feasible solution if and only if the cycle is a counter example to the cycle union property of G . This is useful, since if we want to show that the cycle union property holds (at least for some class of cycles), this is possible by showing the respective linear program is infeasible.

The following lemma is a special case of a more general connection between APB games and Transferable Utility coalitional games that we discuss in Section 7. It provides simple witnesses to the infeasibility of the above linear program, and thus to cases where cycle union holds.

Lemma 12. *Consider a set of pairs $\{(W_t, H_t)\}_{t \in L}$ (edges in the graph of G).*

1. *If $\{H_t\}_{t \in L}$ are pairwise disjoint, then $\bigcup_{t \in L} W_t$ is valid.*
2. *If $\{H_t\}_{t \in L}$ contains each set at most k times, and $\{W_t\}_{t \in L}$ contains each project at least k times then $\bigcup_{t \in L} W_t$ is valid.*

Proof. The first part follows as in the proof of the $m = 3$ case, as

$$c(\bigcup_{t \in L} W_t) \leq \sum_{t \in L} c(W_t) \leq \sum_{t \in L} B(H_t) \leq B(2^M) = b.$$

The second part follows in a similar way, as

$$\sum_{t \in L} c(W_t) = \sum_{t \in L} \sum_{j \in W_t} c_j = \sum_{j \in \bigcup_t W_t} \sum_{t: j \in W_t} c_j \geq \sum_{j \in \bigcup_t W_t} k c_j = k \cdot c(\bigcup_t W_t),$$

whereas

$$\sum_{t \in L} B(H_t) = \sum_{S \in \bigcup_t H_t} \sum_{t: S \in H_t} B(S) \leq \sum_{S \in \bigcup_t H_t} k B(S) \leq k \cdot B(2^M) = k \cdot b.$$

Thus $k \cdot c(\bigcup_t W_t) \leq k \cdot b$ which entails validity of $\bigcup_t W_t$. $\square$

E.g. in the proof for $m = 3$ it would be sufficient to consider two edges rather than the entire cycle, since any two edges cover $M = \{xyz\}$ whereas their H sets are disjoint.

5.2 Four projects

Theorem 13. *Every APB game with at most four projects has a nonempty core.*

The proof outline is as follows. We first consider cycles that do not contain singleton projects, and show that such cycles always hold the cycle-union property. This is the easier case since if the entire set M is valid then we already have nonempty core by Ob. 4.

Cycles that contain singletons may not hold the cycle union property. For such cycles we prove by a more elaborate case analysis that the weaker external set property must hold. The theorem then follows by Prop. 11.

Proposition 14. *For a game with at most four projects, the cycle union property holds for any cycle that has no singletons.*

Proof. Suppose first that the cycle contains a set of three projects.

Denote $W_{t-1} = \{xyz\}$.

We have the following two cases:

- There is a non-triplet in the cycle (it must be a pair since there are no singletons). Then set t s.t. $W_{t-1} = \{xyz\}, W_t = \{xq\}$. Then $H_t = \{q, xq\}$. If W_{t-2} is not contained in W_{t-1} , we have $q \in W_{t-2}$, which means $q, xq \notin H_{t-1}$. So again we are done by using Lemma 12(1). If $W_{t-2} \subsetneq W_{t-1}$ then if it contains x we have that H_{t-1} must contain y or z (or both) so H_{t-1}, H_t are disjoint. If it does not contain x then it must be yz . Then H_{t-2}, H_t are disjoint whereas $W_{t-2} \cup W_t = M$.
- There are only triplets in the cycle. consider an arbitrary t , then $W_{t-1} = \{xyz\}, W_t = \{xyq\}$. Then $H_t = \{q, qx, qy, qxy\}$. Since W_{t-2} must be a triplet, it must contain q . Then $H_{t-1} \cap H_t = \emptyset$, and we are done by Lemma 12(1).

The last case is when all sets in the cycle are of size at most 2. Then the cycle is composed of pairs and singletons. By the premise there are no singletons, i.e. the cycle is composed only of pairs.

Again we divide into three cases:

- There are two consequent disjoint pairs, i.e. $W_{t-1} = \{xy\}$, $W_t = \{zq\}$. Then $H_k = \{z, q, zq, xzq, yzq\}$. Note that since $W_{t-2} \cap \{zq\} \neq \emptyset$ then $H_{t-1} \cap H_t = \emptyset$ so we are done by Lemma 12(1). In the remaining cases the cycle is composed of a chain of intersecting pairs.
- If there is a project that only appears once, then there is only one possible cycle that covers M (up to symmetries, here x appears once): $xy \rightarrow yz \rightarrow zq \rightarrow qy(\rightarrow xy)$. The corresponding H_t sets are, respectively (the sets appearing more than once are marked):

$$\{x, xz, \overline{xy}, xyz\}; \{z, yz, \overline{zq}, yzq\}; \{q, \overline{zq}, xq, xzq\}; \{y, yq, \overline{xy}, xyq\}$$

Although there are two sets that appear twice, we have that H_1 and H_3 are disjoint whereas $W_1 \cup W_3 = M$ thus we are done by Lemma 12(1).

- The last case is where every project appears at least twice in W_t . We bound the number of times every set S appears in $\{H_t\}_{t \leq l}$. For that, consider all six states (that are pairs of projects) in a graph, where each edge is labeled with $H(W \rightarrow V)$.
 - The set $xyzq$ does not appear at all since all pairs are of the same size.
 - Every singleton appears 6 times, but the only path that goes through 3 of them must contain all 6 states.
 - Every triplet appears 6 times, but the only path that goes through 3 of them must contain all 6 states.
 - In the two above cases the cycle goes through all six states, thus each project appears exactly 3 times in $\{W_t\}_t$ and no set appears in $\{H_t\}$ more than 3 times. Therefore we can use Lemma 12(2) with $k = 3$.
 - Every pair appears 8 times, w.l.o.g. xy appears on all edges outgoing from zq and all edges incoming to xy . Since each state can be visited at most once, every simple path/cycle contains at most two such edges.
 - Thus in all cases where not all states are in the cycle $(W_t)_t$, we can use Lemma 12(2) with $k = 2$.

□

Unfortunately if the cycle can contain singletons then the cycle union property may not hold. A counter example is the cycle $a \rightarrow ab \rightarrow cd(\rightarrow a)$. Assume every project costs 1, and $b = 3$ so at most three projects can be funded. There

are two agents with $A_1 = A_2 = \{bcd\}$ and one agent with $A_3 = \{a\}$. We can check that agents 1 and 2 can fund W_2 and then W_3 and agent 3 can fund W_1 thus the cycle holds.

Proposition 15. *Every APB game with at most four projects has the cycle external set property (i.e. Conj. 10 holds for $m \leq 4$).*

Proof. Note that due to Prop. 14, we already know that the proposition holds in the following cases:

- If the cycle has at most three projects;
- If the cycle does not contain singletons.

So assume that none of the cases above apply, and we have a cycle. Suppose first that the cycle contains a triplet, w.l.o.g. $W_{t-1} = \{xyz\}$.

- The triplet W_{t-1} followed by a singleton $|W_t| = 1$. Then $W_t = \{q\}$ (otherwise $H_t = \emptyset$). We have that $H_t = \{q\}$ whereas $q \notin H_{t-1}$. So we are done (in fact showing the stronger property of cycle union) by using Lemma 12(1) with $L = \{t-1, t\}$.
- The triplet W_{t-1} is followed by a pair. Note that this case was covered in the first bullet in the proof of Prop. 14, except when W_{t-2} is a singleton that is also not contained in W_t . Thus the only remaining case is $W_{t-2} = \{y\}$, $W_{t-1} = \{xyz\}$, $W_t = \{xq\}$; In this last case $W' = \{xyq\}$ is valid and we need to show it has no edge back to the cycle. We will show that if there is any edge from W' then M is valid. Suppose that W'' blocks W' . If $y \in W''$ then $W'' \cup W_t = M$ whereas H', H_t are disjoint ($H_t = \{q, yq\}$ and neither can be in H'). If $y \notin W''$ then any $S \in H'$ must contain z but not y . Thus H', H_{t-2}, H_t are disjoint and $M = W'' \cup W_{t-2} \cup W_t$ is valid.

By this point we handles all cycles that contain triplets. The remaining cases are a cycle that is composed of all four singletons; or singletons and pairs that cover M .

- A cycle of all four singletons $x \rightarrow y \rightarrow z \rightarrow q(\rightarrow x)$. The respective H_t sets are (sets that appear more than once are marked):

$$\{x, xy, \overline{xz}, xyz\}; \{y, yz, \overline{yq}, yzq\}; \{z, \overline{xz}, zq, xzq\}; \{q, xq, \overline{yq}, xyq\}.$$

We can see that any two H_t, H_{t+1} are disjoint and thus xy (and at least three other pairs) are valid. If $W' = \{xy\}$ has an edge into the cycle it must be into z or q , w.l.o.g. z , with $H' = \{z, zq\}$. This is disjoint of H_{t-1}, H_t , and thus $W'' = \{xyz\}$ is also valid. If there is an edge from W'' into the cycle then it must be to q with $H'' = \{q\}$. Similarly we would get that H_{t-1}, H_t, H', H'' are pairwise disjoint and thus $M = \{xyzq\}$ is valid. Thus one of the sets W', W'', M must be in external set of the cycle, which completes the proof.

- A cycle of singletons and pairs. Consider an edge in the cycle where W_{t-1} is a pair and W_t is a singleton. W.l.o.g. $W_{t-1} = \{xy\}$ and $W_t = \{z\}$. Thus $H_t = \{z, zq\}$. Since any $S \in H_{t-1}$ must contain x or y (or both), we have that H_{t-1}, H_t are disjoint and the triplet $W' = \{xyz\}$ is valid. Similarly to the previous case, if there is an edge from W' into some $W_{t'}$ in cycle, we divide into further cases:
 - $W_{t'} = \{q\}$. Then $H' = \{q\}$ since any other agent weakly prefers xyz . Then H_{t-1}, H_t, H' are pairwise disjoint and M is valid.
 - $W_{t'} = \{qz\}$. Then $H' = \{q, qz\}$, which means H_{t-1}, H' are disjoint and $W_{t'} \cup W_{t-1} = M$ is valid.
 - $W_{t'} = \{xq\}$ [or $\{yq\}$]. Then H_t and $H' = \{q, xq\}$ are disjoint, which means that $W_t \cup W_{t'} = \{xzq\}$ [resp., $\{yzq\}$] is valid. Either it is an external set, or there is an edge back to the cycle with supporting agents H'' . In the latter case, all sets $S \in H''$ must contain y [resp., x], so H_t, H', H'' are all disjoint and M is valid.

□

As we described in the outline, the proof of Theorem 13 now follows by applying Prop. 11 and Prop. 15:

6 Multiwinner voting

A special case of the APB problem is when all projects have the same cost (w.l.o.g. $c = 1$). This case is also known as the multiwinner voting problem, where b out of m candidates should be selected.

Lemma 16. *Let $S \subseteq M$. Let $W_0, W_1, \dots, W_h$ be a sequence of sets, each of size at most b' , such that $S \in H_t$ for all $t \in \{1, \dots, h\}$. Then $h \leq b'$.*

Proof. The intersection $S \cap H_t$ is strictly larger than $S \cap H_{t-1}$ for all $t \in \{1, \dots, h\}$, and is bounded by b' , thus $h \leq b'$. □

Theorem 17. *Every APB game with unit project costs has the external set property (and is thus weakly acyclic and has nonempty core).*

Proof. Note that to show that every cycle has an extraset, it is sufficient to show for a minimal cycle (as any cycle contains a minimal cycle).

Consider a minimal cycle of valid sets $W_1, W_2, \dots, W_h$. W.l.o.g. $W_t \subsetneq W_{t'}$ since then by Ob. 3 we can remove $W_{t+1}, \dots, W_{t'}$ from the cycle.

If $|W_t| < b$ for some t then consider an arbitrary superset $U \supset W_t$ of size b . U is valid and is thus an extraset of the cycle.

The remaining case is when $|W_t| = b$ for all $t \leq h$. We will show this case leads to a contradiction. The sum of sets' sizes in the cycle (and thus their total cost) is $h \cdot b$.

We now invoke reasoning similar to Lemma 12 with $k = \left\lfloor \frac{bh}{b+1} \right\rfloor$ but using the additional fact that prices are uniform:

By Lemma 16, every set S can appear in at most b consequent sets, and thus there at least $\left\lceil \frac{h}{b+1} \right\rceil$ sets H_t that do not contain S . In other words, each S is contained in at most $k = \left\lfloor \frac{bh}{b+1} \right\rfloor$ sets from $\{H_t\}_{t \in h}$. Note that $k < h$.

By definition, the existence of the edge $W_{t-1} \rightarrow W_t$ means $|W_t| = c(W_t) \leq B(H_t)$.

Finally,

$$\begin{aligned} b \cdot h &= \sum_{t \leq h} c(W_t) \leq \sum_{t \leq h} B(H_t) = \sum_{t \leq h} \sum_{S \in H_t} B(S) \\ &= \sum_{S \subseteq M} \sum_{t: S \in H_t} B(S) = \sum_{S \subseteq M} B(S) |\{t : S \in H_t\}| \\ &\leq \sum_{S \subseteq M} B(S) k = k \cdot B(2^M) = k \cdot b < h \cdot b, \end{aligned}$$

which is a contradiction. $\square$

7 Connection with TU games

A (cost-sharing) *transferable utility* (TU) coalitional game is a pair (V, ϕ) where V is a set of agents and $\phi : 2^V \rightarrow \mathbb{R}^+$ is a cost function.

A *solution* of a TU game is a non-negative vector $x = (x_i)_{i \in V}$ s.t. $\sum_{i \in V} x_i = \phi(V)$, i.e. a division of the total cost among all agents of V . A solution x is blocked by coalition $V' \subseteq V$ if $\phi(V') < x(V')$, and the core of (V, ϕ) contains all solutions that are not blocked [9, 6].

7.1 Projects as TU agents

Consider a class of APB games $\mathcal{G}$ where all parameters are fixed except project costs $\bar{c}$. Consider a subset of edges $(W_t, H_t)_{t \in L}$ (not necessarily a path or a cycle). The edge (W_t, H_t) exists in the respective game iff W_t is valid. Denote $U = \bigcup_{t \in L} W_t$. We denote by $\mathcal{G}_L \subseteq \mathcal{G}$ the class of games that contain all edges in L .

Define a cost-sharing TU game (U, ϕ) , where $\phi(U) = b + \varepsilon$ for some very small ε . For every $t \in L$ we set $\phi(W_t) = B(H_t)$, leaving the cost of all other coalitions as $\phi(S) = \max_{t: S \subseteq W_t} \phi(W_t)$, and ∞ if they are not contained in any W_t so they do not pose further constraints.

Proposition 18. *U is valid in every $G \in \mathcal{G}_L$, if and only if the TU game (U, ϕ) has an empty core.*

Proof. Suppose first that the core of (U, ϕ) is nonempty, and let $\bar{c} = (c_j)_{j \in U}$ be a vector in the core. Now consider the APB game $G_{\bar{c}} \in \mathcal{G}$ with project

costs $\bar{c}$. Then for every t we have $c(W_t) \leq \phi(W_t) = B(H_t)$, meaning that all edges $(W_t, H_t)_{t \in L}$ are indeed in $G_{\bar{c}}$ and thus $G_{\bar{c}} \in \mathcal{G}_L$. On the other hand $c(U) = \phi(U) > b$ meaning that U is not a valid set.

In the other direction, suppose that the premise is not true, i.e. there is a vector of costs $\bar{c}$ such that $(W_t, H_t)_{t \in L}$ are in $G_{\bar{c}}$ and $c(U) > b$. For a sufficiently small ε it holds that $c(U) > b + \varepsilon = \phi(U)$ as well. We argue that $\bar{c}$ respects all core constraints in (U, ϕ) , which holds since $c(W_t) \leq B(H_t) = \phi(W_t)$ for all t . However $\bar{c}$ may not be a valid solution since $c(U) > \phi(U)$.² To turn it into a vector in the core we scale it down until $c'(U) = \phi(U)$, and note that all core constraints are still respected. $\square$

A nice corollary of the proposition is that it provides us with a general way to show that a set U is valid: by phrasing the appropriate TU game and show a witness to core emptiness. Such witnesses can be constructed with the help of the Bondareva-Shapley theorem [4, 10]: Recall that the core of a cost-sharing game ϕ is nonempty iff for any balanced weights $\{\alpha_S\}_S$ we have

$$\sum_{S \subseteq U} \alpha_S \phi(S) \geq \phi(U). \quad (1)$$

Proposition 19. *Let $G \in \mathcal{G}_L$. If there is a balanced collection $\bar{\alpha} = \{\alpha_S\}_S$ where for each S there is some $t(S) \in L$ such that $S \subseteq T_{t(S)}$, and $\bar{\alpha}$ is violating Eq. (1), then U is valid in G .*

Proof. The proof follows directly from the previous proposition, as by the B-S theorem the core of (U, ϕ) is empty.

We can also prove this directly. We first argue that for every balanced collection as above, $\sum_S \alpha_S \phi(S) \geq c(U)$:

$$\begin{aligned} \sum_S \alpha_S \phi(S) &\geq \sum_S \alpha_S \phi(W_{t(S)}) && (\text{since } \phi(S) \geq \phi W_{t(S)}) \\ &\geq \sum_S \alpha_S c(W_{t(S)}) \\ &= \sum_S \alpha_S \sum_{j \in W_{t(S)}} c_j \\ &= \sum_{j \in U} c_j \sum_{S: j \in W_{t(S)}} \alpha_S \\ &\geq \sum_{j \in U} c_j \sum_{S: j \in S} \alpha_S && (\text{since } S \subseteq W_{t(S)}, \alpha_S \geq 0) \\ &= \sum_{j \in U} c_j = c(U). \end{aligned}$$

Now assume towards a contradiction that U is invalid, then there is a sufficiently small ε such that $c(U) \geq b + \varepsilon = \phi(U)$. This entails Eq. (1) holds for all balanced collections including $\bar{\alpha}$ in contradiction to our assumption. $\square$

²We should note that ε may depend on L and b but not on $\bar{c}$. Thus we can use the same ε for all $\mathcal{G}_L$.

Lemma 12 provides a way to identify some special cases of good balanced collections: S_t are arbitrary subsets of W_t (of $t \in L$) that cover U exactly k times, and $\alpha_S = 1/k$ for all of them.

8 Discussion

We showed that Approval Participatory Budgeting games with up to four projects hold the external set property. This property entails not just non-emptiness of the core, but the stronger property of weak-acyclicity. That is, from any initial set of projects there is a sequence of valid coalitional deviations that leads to an outcome in the core. Some of our techniques can work similarly for larger games, which leaves the question on whether any Approval Participatory Budgeting game is weakly acyclic.

References

- [1] Haris Aziz, Barton Lee, and Nimrod Talmon. Proportionally representative participatory budgeting: Axioms and algorithms. *arXiv preprint arXiv:1711.08226*, 2017.
- [2] Haris Aziz and Nisarg Shah. Participatory budgeting: Models and approaches. *arXiv preprint arXiv:2003.00606*, 2020.
- [3] Gerdus Benade, Swaprava Nath, Ariel D Procaccia, and Nisarg Shah. Preference elicitation for participatory budgeting. *Management Science*, 2020.
- [4] Olga N Bondareva. Some applications of linear programming methods to the theory of cooperative games. *Problemy kibernetiki*, 10(119):139, 1963.
- [5] Brandon Fain, Ashish Goel, and Kamesh Munagala. The core of the participatory budgeting problem. In *International Conference on Web and Internet Economics*, pages 384–399. Springer, 2016.
- [6] Donald B Gillies. Solutions to general non-zero-sum games. *Contributions to the Theory of Games*, 4:47–85, 1959.
- [7] Ashish Goel, Anilesh K Krishnaswamy, Sukolsak Sakshuwong, and Tanja Aitamurto. Knapsack voting for participatory budgeting. *ACM Transactions on Economics and Computation (TEAC)*, 7(2):1–27, 2019.
- [8] Dominik Peters and Piotr Skowron. Proportionality and the limits of welfarism. In *Proceedings of the 21st ACM Conference on Economics and Computation*, pages 793–794, 2020.
- [9] Lloyd S Shapley. Markets as cooperative games. Technical report, RAND CORP SANTA MONICA CA, 1955.

- [10] Lloyd S Shapley et al. On balanced sets and cores. *Naval Research Logistics Quarterly*, 14(4):453–460, 1967.
- [11] Nimrod Talmon and Piotr Faliszewski. A framework for approval-based budgeting methods. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 33, pages 2181–2188, 2019.

This figure "universe.jpg" is available in "jpg" format from:

<http://arxiv.org/ps/2104.05082v1>